

**NACHI**

AGES ドリル

AGESS ドリル




# AGES

## AG-ES ドリルレギュラ



# NACHI



●材質：高合金ハイス ●ねじれ角：135° ●表面処理：AG コート


・超硬ドリルに迫る新高合金ハイスドリル。

商品コード	外径	溝長	全長	シャンク	分類
NA16111	2	24	56	3	●
NA16112	2.1	24	56	3	●
NA16113	2.2	25	56	3	●
NA16114	2.3	25	56	3	●
NA16115	2.4	30	64	3	●
NA16116	2.5	30	64	3	●
NA16117	2.6	30	64	3	●
NA16118	2.7	33	64	3	●
NA16119	2.8	33	64	3	●
NA16120	2.9	33	64	3	●
NA16121	3	33	64	3	●
NA16122	3.1	36	71	4	●
NA16123	3.2	36	71	4	●
NA16124	3.3	36	71	4	●
NA16125	3.4	39	71	4	●
NA16126	3.5	39	71	4	●
NA16127	3.6	39	71	4	●
NA16128	3.7	39	71	4	●
NA16129	3.8	43	75	4	●
NA16130	3.9	43	75	4	●
NA16131	4	43	75	4	●
NA16132	4.1	43	89	6	●
NA16133	4.2	43	89	6	●
NA16134	4.3	47	89	6	●
NA16135	4.4	47	89	6	●
NA16136	4.5	47	89	6	●
NA16137	4.6	47	89	6	●
NA16138	4.7	47	89	6	●
NA16139	4.8	52	94	6	●
NA16140	4.9	52	94	6	●
NA16141	5	52	94	6	●
NA16142	5.1	52	94	6	●
NA16143	5.2	52	94	6	●
NA16144	5.3	52	94	6	●
NA16145	5.4	57	99	6	●
NA16146	5.5	57	99	6	●
NA16147	5.6	57	99	6	●
NA16148	5.7	57	99	6	●
NA16149	5.8	57	99	6	●
NA16150	5.9	57	99	6	●
NA16151	6	57	99	6	●
NA16152	6.1	63	107	8	●
NA16153	6.2	63	107	8	●
NA16154	6.3	63	107	8	●
NA16155	6.4	63	107	8	●
NA16156	6.5	63	107	8	●
NA16157	6.6	63	107	8	●
NA16158	6.7	63	107	8	●
NA16159	6.8	69	113	8	●
NA16160	6.9	69	113	8	●
NA16161	7	69	113	8	●
NA16162	7.1	69	113	8	●
NA16163	7.2	69	113	8	●
NA16164	7.3	69	113	8	●
NA16165	7.4	69	113	8	●
NA16166	7.5	69	113	8	●
NA16167	7.6	75	119	8	●
NA16168	7.7	75	119	8	●
NA16169	7.8	75	119	8	●
NA16170	7.9	75	119	8	●
NA16171	8	75	119	8	●
NA16172	8.1	75	125	10	●
NA16173	8.2	75	125	10	●
NA16174	8.3	75	125	10	●
NA16175	8.4	75	125	10	●
NA16176	8.5	75	125	10	●
NA16177	8.6	81	131	10	●
NA16178	8.7	81	131	10	●
NA16179	8.8	81	131	10	●
NA16180	8.9	81	131	10	●
NA16181	9	81	131	10	●
NA16182	9.1	81	131	10	●
NA16183	9.2	81	131	10	●
NA16184	9.3	81	131	10	●
NA16185	9.4	81	131	10	●
NA16186	9.5	81	131	10	●
NA16187	9.6	87	137	10	●
NA16188	9.7	87	137	10	●

商品コード	外径	溝長	全長	シャンク	分類
NA16189	9.8	87	137	10	●
NA16190	9.9	87	137	10	●
NA16191	10	87	137	10	●
NA16192	10.1	87	144	12	●
NA16193	10.2	87	144	12	●
NA16194	10.3	87	144	12	●
NA16195	10.4	87	144	12	●
NA16196	10.5	87	144	12	●
NA16197	10.6	87	144	12	●
NA16198	10.7	94	151	12	●
NA16199	10.8	94	151	12	●
NA16200	10.9	94	151	12	●
NA16201	11	94	151	12	●
NA16202	11.1	94	151	12	●
NA16203	11.2	94	151	12	●
NA16204	11.3	94	151	12	●
NA16205	11.4	94	151	12	●
NA16206	11.5	94	151	12	●
NA16207	11.6	94	151	12	●
NA16208	11.7	94	151	12	●
NA16209	11.8	94	151	12	●
NA16210	11.9	101	158	12	●
NA16211	12	101	158	12	●
NA16212	12.1	101	158	12	●
NA16213	12.2	101	158	12	●
NA16214	12.3	101	158	12	●
NA16215	12.4	101	158	12	●
NA16216	12.5	101	158	12	●
NA16217	12.6	101	158	12	●
NA16218	12.7	101	158	12	●
NA16219	12.8	101	158	12	●
NA16220	12.9	101	158	12	●
NA16221	13	101	158	12	●
NA19858	13.1	101	158	12	□
NA19859	13.2	101	158	12	□
NA19860	13.3	108	168	16	□
NA19861	13.4	108	168	16	□
NA16222	13.5	108	168	16	●
NA19862	13.6	108	168	16	□
NA19863	13.7	108	168	16	□
NA19864	13.8	108	168	16	□
NA19865	13.9	108	168	16	□
NA16223	14	108	168	16	●
NA19866	14.1	114	173	16	□
NA19867	14.2	114	173	16	□
NA19868	14.3	114	173	16	□
NA19869	14.4	114	173	16	□
NA16224	14.5	114	173	16	●
NA19870	14.6	114	180	20	□
NA19871	14.7	114	180	20	□
NA19872	14.8	114	180	20	□
NA19873	14.9	114	180	20	□
NA16225	15	114	180	20	●
NA19874	15.1	120	185	20	□
NA19875	15.2	120	185	20	□
NA19876	15.3	120	185	20	□
NA19877	15.4	120	185	20	□
NA16226	15.5	120	185	20	●
NA19878	15.6	120	185	20	□
NA19879	15.7	120	185	20	□
NA19880	15.8	120	185	20	□
NA19881	15.9	120	185	20	□
NA16227	16	120	185	20	●
NA19882	16.1	125	189	20	□
NA19883	16.2	125	189	20	□
NA19884	16.3	125	189	20	□
NA19885	16.4	125	189	20	□
NA16228	16.5	125	189	20	●
NA19886	16.6	125	189	20	□
NA19887	16.7	125	189	20	□
NA19888	16.8	125	189	20	□
NA19889	16.9	125	189	20	□
NA16229	17	125	189	20	●
NA19890	17.1	130	194	20	□
NA19891	17.2	130	194	20	□
NA19892	17.3	130	194	20	□
NA19893	17.4	130	194	20	□
NA16230	17.5	130	194	20	●



NACHI



商品コード	外径	溝長	全長	シャンク	分類
NA19894	17.6	130	194	20	□
NA19895	17.7	130	194	20	□
NA19896	17.8	130	194	20	□
NA19897	17.9	130	194	20	□
NA16231	18	130	194	20	●
NA19898	18.1	135	198	20	□
NA19899	18.2	135	198	20	□
NA19900	18.3	135	198	20	□
NA19901	18.4	135	198	20	□
NA16232	18.5	135	198	20	●
NA19902	18.6	135	206	25	□
NA19903	18.7	135	206	25	□
NA19904	18.8	135	206	25	□
NA19905	18.9	135	206	25	□
NA16233	19	135	206	25	●
NA19906	19.1	140	210	25	□
NA19907	19.2	140	210	25	□
NA19908	19.3	140	210	25	□
NA19909	19.4	140	210	25	□
NA16234	19.5	140	210	25	●
NA19910	19.6	140	210	25	□
NA19911	19.7	140	210	25	□
NA19912	19.8	140	210	25	□
NA19913	19.9	140	210	25	□
NA16235	20	140	210	25	●




# AG-ESS

AG-ESS ドリルショート



## NACHI



●材質：高合金ハイス ●ねじれ角：135° ●表面処理：AGコート


・超硬ドリルに迫る新高合金ハイスドリル。

商品コード	外径	溝長	全長	シャンク	分類
NA16236	1	6	40	3	●
NA16237	1.1	7	40	3	●
NA16238	1.2	8	40	3	●
NA16239	1.3	8	40	3	●
NA16240	1.4	9	40	3	●
NA16241	1.5	9	40	3	●
NA16242	1.6	10	44	3	●
NA16243	1.7	10	44	3	●
NA16244	1.8	11	44	3	●
NA16245	1.9	11	44	3	●
NA16246	2	12	44	3	●
NA16247	2.1	12	44	3	●
NA16248	2.2	13	44	3	●
NA16249	2.3	13	44	3	●
NA16250	2.4	14	48	3	●
NA16251	2.5	14	48	3	●
NA16252	2.6	14	48	3	●
NA16253	2.7	16	48	3	●
NA16254	2.8	16	48	3	●
NA16255	2.9	16	48	3	●
NA16256	3	16	48	3	●
NA16257	3.1	18	54	4	●
NA16258	3.2	18	54	4	●
NA16259	3.3	18	54	4	●
NA16260	3.4	20	54	4	●
NA16261	3.5	20	54	4	●
NA16262	3.6	20	54	4	●
NA16263	3.7	20	54	4	●
NA16264	3.8	22	54	4	●
NA16265	3.9	22	54	4	●
NA16266	4	22	54	4	●
NA16267	4.1	22	66	6	●
NA16268	4.2	22	66	6	●
NA16269	4.3	24	68	6	●
NA16270	4.4	24	68	6	●
NA16271	4.5	24	68	6	●
NA16272	4.6	24	68	6	●
NA16273	4.7	24	68	6	●
NA16274	4.8	26	70	6	●
NA16275	4.9	26	70	6	●
NA16276	5	26	70	6	●
NA16277	5.1	26	70	6	●
NA16278	5.2	26	70	6	●
NA16279	5.3	26	70	6	●
NA16280	5.4	28	72	6	●
NA16281	5.5	28	72	6	●
NA16282	5.6	28	72	6	●
NA16283	5.7	28	72	6	●
NA16284	5.8	28	72	6	●
NA16285	5.9	28	72	6	●
NA16286	6	28	72	6	●
NA16287	6.1	31	75	8	●
NA16288	6.2	31	75	8	●
NA16289	6.3	31	75	8	●
NA16290	6.4	31	75	8	●
NA16291	6.5	31	75	8	●
NA16292	6.6	31	75	8	●
NA16293	6.7	31	75	8	●
NA16294	6.8	34	78	8	●
NA16295	6.9	34	78	8	●
NA16296	7	34	78	8	●
NA16297	7.1	34	78	8	●
NA16298	7.2	34	78	8	●
NA16299	7.3	34	78	8	●
NA16300	7.4	34	78	8	●
NA16301	7.5	34	78	8	●
NA16302	7.6	37	81	8	●
NA16303	7.7	37	81	8	●
NA16304	7.8	37	81	8	●
NA16305	7.9	37	81	8	●
NA16306	8	37	81	8	●
NA16307	8.1	37	81	10	●
NA16308	8.2	37	87	10	●
NA16309	8.3	37	87	10	●
NA16310	8.4	37	87	10	●
NA16311	8.5	37	87	10	●
NA16312	8.6	40	90	10	●
NA16313	8.7	40	90	10	●

商品コード	外径	溝長	全長	シャンク	分類
NA16314	8.8	40	90	10	●
NA16315	8.9	40	90	10	●
NA16316	9	40	90	10	●
NA16317	9.1	40	90	10	●
NA16318	9.2	40	90	10	●
NA16319	9.3	40	90	10	●
NA16320	9.4	40	90	10	●
NA16321	9.5	40	90	10	●
NA16322	9.6	43	93	10	●
NA16323	9.7	43	93	10	●
NA16324	9.8	43	93	10	●
NA16325	9.9	43	93	10	●
NA16326	10	43	93	10	●
NA16327	10.1	43	100	12	●
NA16328	10.2	43	100	12	●
NA16329	10.3	43	100	12	●
NA16330	10.4	43	100	12	●
NA16331	10.5	43	100	12	●
NA16332	10.6	43	100	12	●
NA16333	10.7	47	104	12	●
NA16334	10.8	47	104	12	●
NA16335	10.9	47	104	12	●
NA16336	11	47	104	12	●
NA16337	11.1	47	104	12	●
NA16338	11.2	47	104	12	●
NA16339	11.3	47	104	12	●
NA16340	11.4	47	104	12	●
NA16341	11.5	47	104	12	●
NA16342	11.6	47	104	12	●
NA16343	11.7	47	104	12	●
NA16344	11.8	47	104	12	●
NA16345	11.9	51	108	12	●
NA16346	12	51	108	12	●
NA16347	12.1	51	108	12	●
NA16348	12.2	51	108	12	●
NA16349	12.3	51	108	12	●
NA16350	12.4	51	108	12	●
NA16351	12.5	51	108	12	●
NA16352	12.6	51	108	12	●
NA16353	12.7	51	108	12	●
NA16354	12.8	51	108	12	●
NA16355	12.9	51	108	12	●
NA16356	13	51	108	12	●
NA19914	13.1	51	108	12	□
NA19915	13.2	51	108	12	□
NA19916	13.3	72	132	16	□
NA19917	13.4	72	132	16	□
NA16357	13.5	72	132	16	●
NA19918	13.6	72	132	16	□
NA19919	13.7	72	132	16	□
NA19920	13.8	72	132	16	□
NA19921	13.9	72	132	16	□
NA16358	14	72	132	16	●
NA19922	14.1	76	136	16	□
NA19923	14.2	76	136	16	□
NA19924	14.3	76	136	16	□
NA19925	14.4	76	136	16	□
NA16359	14.5	76	136	16	●
NA19926	14.6	76	142	20	□
NA19927	14.7	76	142	20	□
NA19928	14.8	76	142	20	□
NA19929	14.9	76	142	20	□
NA16360	15	76	142	20	●
NA19930	15.1	80	146	20	□
NA19931	15.2	80	146	20	□
NA19932	15.3	80	146	20	□
NA19933	15.4	80	146	20	□
NA16361	15.5	80	146	20	●
NA19934	15.6	80	146	20	□
NA19935	15.7	80	146	20	□
NA19936	15.8	80	146	20	□
NA19937	15.9	80	146	20	□
NA16362	16	80	146	20	●
NA19938	16.1	84	150	20	□
NA19939	16.2	84	150	20	□
NA19940	16.3	84	150	20	□
NA19941	16.4	84	150	20	□
NA16363	16.5	84	150	20	●



NACHI



商品コード	外径	溝長	全長	シャンク	分類
NA19942	16.6	84	150	20	□
NA19943	16.7	84	150	20	□
NA19944	16.8	84	150	20	□
NA19945	16.9	84	150	20	□
NA16364	17	84	150	20	●
NA19946	17.1	87	153	20	□
NA19947	17.2	87	153	20	□
NA19948	17.3	87	153	20	□
NA19949	17.4	87	153	20	□
NA16365	17.5	87	153	20	●
NA19950	17.6	87	153	20	□
NA19951	17.7	87	153	20	□
NA19952	17.8	87	153	20	□
NA19953	17.9	87	153	20	□
NA16366	18	87	153	20	●
NA19954	18.1	90	156	20	□
NA19955	18.2	90	156	20	□
NA19956	18.3	90	156	20	□
NA19957	18.4	90	156	20	□
NA16367	18.5	90	156	20	●
NA19958	18.6	90	164	25	□
NA19959	18.7	90	164	25	□
NA19960	18.8	90	164	25	□
NA19961	18.9	90	164	25	□
NA16368	19	90	164	25	●
NA19962	19.1	94	168	25	□
NA19963	19.2	94	168	25	□
NA19964	19.3	94	168	25	□
NA19965	19.4	94	168	25	□
NA16369	19.5	94	168	25	●
NA19966	19.6	94	168	25	□
NA19967	19.7	94	168	25	□
NA19968	19.8	94	168	25	□
NA19969	19.9	94	168	25	□
NA16370	20	94	168	25	●