


AQD3F

アクアドリル 3フルート



NACHI



- 切削バランスに優れた 3 枚刃を採用しています。
- リーマレスも可能な高精度穴加工を実現します。



TY コード	外径	溝長	全長	シャンク	区分
NA12253	3	16	48	3	○
NA12254	3.1	18	50	4	○
NA12255	3.2	18	50	4	○
NA12256	3.3	18	50	4	○
NA12257	3.4	20	52	4	○
NA12258	3.5	20	52	4	○
NA12259	3.6	20	52	4	○
NA12260	3.7	20	52	4	○
NA12261	3.8	22	54	4	○
NA12262	3.9	22	54	4	○
NA12263	4	22	54	4	○
NA12264	4.1	22	66	4	○
NA12265	4.2	22	66	4	○
NA12266	4.3	24	68	6	○
NA12267	4.4	24	68	6	○
NA12268	4.5	24	68	6	○
NA12269	4.6	24	68	6	○
NA12270	4.7	24	68	6	○
NA12271	4.8	26	70	6	○
NA12272	4.9	26	70	6	○
NA12273	5	26	70	6	○
NA12274	5.1	26	70	6	○
NA12275	5.2	26	70	6	○
NA12276	5.3	26	70	6	○
NA12277	5.4	28	72	6	○
NA12278	5.5	28	72	6	○
NA12279	5.6	28	72	6	○
NA12280	5.7	28	72	6	○
NA12281	5.8	28	72	6	○
NA12282	5.9	28	72	6	○
NA12283	6	28	72	6	○
NA12284	6.1	31	75	8	○
NA12285	6.2	31	75	8	○
NA12286	6.3	31	75	8	○
NA12287	6.4	31	75	8	○
NA12288	6.5	31	75	8	○
NA12289	6.6	31	75	8	○
NA12290	6.7	31	75	8	○
NA12291	6.8	34	78	8	○
NA12292	6.9	34	78	8	○
NA12293	7	34	78	8	○
NA12294	7.1	34	78	8	○
NA12295	7.2	34	78	8	○
NA12296	7.3	34	78	8	○
NA12297	7.4	34	78	8	○
NA12298	7.5	34	78	8	○
NA12299	7.6	37	81	8	○
NA12300	7.7	37	81	8	○
NA12301	7.8	37	81	8	○
NA12302	7.9	37	81	8	○
NA12303	8	37	81	8	○
NA12304	8.1	37	87	10	○
NA12305	8.2	37	87	10	○
NA12306	8.3	37	87	10	○
NA12307	8.4	37	87	10	○
NA12308	8.5	37	87	10	○
NA12309	8.6	40	90	10	○
NA12310	8.7	40	90	10	○


TY コード	外径	溝長	全長	シャンク	区分
NA12311	8.8	40	90	10	○
NA12312	8.9	40	90	10	○
NA12313	9	40	90	10	○
NA12314	9.1	40	90	10	○
NA12315	9.2	40	90	10	○
NA12316	9.3	40	90	10	○
NA12317	9.4	40	90	10	○
NA12318	9.5	40	90	10	○
NA12319	9.6	43	93	10	○
NA12320	9.7	43	93	10	○
NA12321	9.8	43	93	10	○
NA12322	9.9	43	93	10	○
NA12323	10	43	93	10	○
NA12324	10.1	43	100	12	○
NA12325	10.2	43	100	12	○
NA12326	10.3	43	100	12	○
NA12327	10.4	43	100	12	○
NA12328	10.5	43	100	12	○
NA12329	10.6	43	100	12	○
NA12330	10.7	47	104	12	○
NA12331	10.8	47	104	12	○
NA12332	10.9	47	104	12	○
NA12333	11	47	104	12	○
NA12334	11.1	47	104	12	○
NA12335	11.2	47	104	12	○
NA12336	11.3	47	104	12	○
NA12337	11.4	47	104	12	○
NA12338	11.5	47	104	12	○
NA12339	11.6	47	104	12	○
NA12340	11.7	47	104	12	○
NA12341	11.8	47	104	12	○
NA12342	11.9	51	108	12	○
NA12343	12	51	108	12	○
NA13675	13	51	110	14	○
NA13676	14	72	130	14	○
NA13677	15	76	136	16	○
NA13678	16	80	144	16	○
NA13787	3.01	18	50	4	■
NA13788	3.02	18	50	4	■
NA13789	3.03	18	50	4	■
NA13790	3.04	18	50	4	■
NA13791	3.05	18	50	4	■
NA13792	3.06	18	50	4	■
NA13793	3.07	18	50	4	■
NA13794	3.08	18	50	4	■
NA13795	3.09	18	50	4	■
NA13796	3.11	18	50	4	■
NA13797	3.12	18	50	4	■
NA13798	3.13	18	50	4	■
NA13799	3.14	18	50	4	■
NA13800	3.15	18	50	4	■
NA13801	3.16	18	50	4	■
NA13802	3.17	18	50	4	■
NA13803	3.18	18	50	4	■
NA13804	3.19	18	50	4	■
NA13805	3.21	18	50	4	■
NA13806	3.22	18	50	4	■
NA13807	3.23	18	50	4	■

○標準品 ■オリジナル品



AQD3F

アクアドリル 3フルート



NACHI

- 切削バランスに優れた 3 枚刃を採用しています。
- リーマレスも可能な高精度穴加工を実現します。



TY コード	外径	溝長	全長	シャンク	区分
NA13808	3.24	18	50	4	■
NA13809	3.25	18	50	4	■
NA13810	3.26	18	50	4	■
NA13811	3.27	18	50	4	■
NA13812	3.28	18	50	4	■
NA13813	3.29	18	50	4	■
NA13814	3.31	18	50	4	■
NA13815	3.32	18	50	4	■
NA13816	3.33	18	50	4	■
NA13817	3.34	18	50	4	■
NA13818	3.35	18	50	4	■
NA13819	3.36	20	52	4	■
NA13820	3.37	20	52	4	■
NA13821	3.38	20	52	4	■
NA13822	3.39	20	52	4	■
NA13823	3.41	20	52	4	■
NA13824	3.42	20	52	4	■
NA13825	3.43	20	52	4	■
NA13826	3.44	20	52	4	■
NA13827	3.45	20	52	4	■
NA13828	3.46	20	52	4	■
NA13829	3.47	20	52	4	■
NA13830	3.48	20	52	4	■
NA13831	3.49	20	52	4	■
NA13832	3.51	20	52	4	■
NA13833	3.52	20	52	4	■
NA13834	3.53	20	52	4	■
NA13835	3.54	20	52	4	■
NA13836	3.55	20	52	4	■
NA13837	3.56	20	52	4	■
NA13838	3.57	20	52	4	■
NA13839	3.58	20	52	4	■
NA13840	3.59	20	52	4	■
NA13841	3.61	20	52	4	■
NA13842	3.62	20	52	4	■
NA13843	3.63	20	52	4	■
NA13844	3.64	20	52	4	■
NA13845	3.65	20	52	4	■
NA13846	3.66	20	52	4	■
NA13847	3.67	20	52	4	■
NA13848	3.68	20	52	4	■
NA13849	3.69	20	52	4	■
NA13850	3.71	20	52	4	■
NA13851	3.72	20	52	4	■
NA13852	3.73	20	52	4	■
NA13853	3.74	20	52	4	■
NA13854	3.75	20	52	4	■
NA13855	3.76	22	54	4	■
NA13856	3.77	22	54	4	■
NA13857	3.78	22	54	4	■
NA13858	3.79	22	54	4	■
NA13859	3.81	22	54	4	■
NA13860	3.82	22	54	4	■
NA13861	3.83	22	54	4	■
NA13862	3.84	22	54	4	■
NA13863	3.85	22	54	4	■
NA13864	3.86	22	54	4	■
NA13865	3.87	22	54	4	■

TY コード	外径	溝長	全長	シャンク	区分
NA13866	3.88	22	54	4	■
NA13867	3.89	22	54	4	■
NA13868	3.91	22	54	4	■
NA13869	3.92	22	54	4	■
NA13870	3.93	22	54	4	■
NA13871	3.94	22	54	4	■
NA13872	3.95	22	54	4	■
NA13873	3.96	22	54	4	■
NA13874	3.97	22	54	4	■
NA13875	3.98	22	54	4	■
NA13876	3.99	22	54	4	■
NA13877	4.01	22	66	6	■
NA13878	4.02	22	66	6	■
NA13879	4.03	22	66	6	■
NA13880	4.04	22	66	6	■
NA13881	4.05	22	66	6	■
NA13882	4.06	22	66	6	■
NA13883	4.07	22	66	6	■
NA13884	4.08	22	66	6	■
NA13885	4.09	22	66	6	■
NA13886	4.11	22	66	6	■
NA13887	4.12	22	66	6	■
NA13888	4.13	22	66	6	■
NA13889	4.14	22	66	6	■
NA13890	4.15	22	66	6	■
NA13891	4.16	22	66	6	■
NA13892	4.17	22	66	6	■
NA13893	4.18	22	66	6	■
NA13894	4.19	22	66	6	■
NA13895	4.21	22	66	6	■
NA13896	4.22	22	66	6	■
NA13897	4.23	22	66	6	■
NA13898	4.24	22	66	6	■
NA13899	4.25	22	66	6	■
NA13900	4.26	24	68	6	■
NA13901	4.27	24	68	6	■
NA13902	4.28	24	68	6	■
NA13903	4.29	24	68	6	■
NA13904	4.31	24	68	6	■
NA13905	4.32	24	68	6	■
NA13906	4.33	24	68	6	■
NA13907	4.34	24	68	6	■
NA13908	4.35	24	68	6	■
NA13909	4.36	24	68	6	■
NA13910	4.37	24	68	6	■
NA13911	4.38	24	68	6	■
NA13912	4.39	24	68	6	■
NA13913	4.41	24	68	6	■
NA13914	4.42	24	68	6	■
NA13915	4.43	24	68	6	■
NA13916	4.44	24	68	6	■
NA13917	4.45	24	68	6	■
NA13918	4.46	24	68	6	■
NA13919	4.47	24	68	6	■
NA13920	4.48	24	68	6	■
NA13921	4.49	24	68	6	■
NA13922	4.51	24	68	6	■
NA13923	4.52	24	68	6	■


○標準品 ■オリジナル品

AQD3F

アクアドリル 3フルート



NACHI



- 切削バランスに優れた 3 枚刃を採用しています。
- リーマレスも可能な高精度穴加工を実現します。



TY コード	外径	溝長	全長	シャンク	区分
NA13924	4.53	24	68	6	■
NA13925	4.54	24	68	6	■
NA13926	4.55	24	68	6	■
NA13927	4.56	24	68	6	■
NA13928	4.57	24	68	6	■
NA13929	4.58	24	68	6	■
NA13930	4.59	24	68	6	■
NA13931	4.61	24	68	6	■
NA13932	4.62	24	68	6	■
NA13933	4.63	24	68	6	■
NA13934	4.64	24	68	6	■
NA13935	4.65	24	68	6	■
NA13936	4.66	24	68	6	■
NA13937	4.67	24	68	6	■
NA13938	4.68	24	68	6	■
NA13939	4.69	24	68	6	■
NA13940	4.71	24	68	6	■
NA13941	4.72	24	68	6	■
NA13942	4.73	24	68	6	■
NA13943	4.74	24	68	6	■
NA13944	4.75	24	68	6	■
NA13945	4.76	26	70	6	■
NA13946	4.77	26	70	6	■
NA13947	4.78	26	70	6	■
NA13948	4.79	26	70	6	■
NA13949	4.81	26	70	6	■
NA13950	4.82	26	70	6	■
NA13951	4.83	26	70	6	■
NA13952	4.84	26	70	6	■
NA13953	4.85	26	70	6	■
NA13954	4.86	26	70	6	■
NA13955	4.87	26	70	6	■
NA13956	4.88	26	70	6	■
NA13957	4.89	26	70	6	■
NA13958	4.91	26	70	6	■
NA13959	4.92	26	70	6	■
NA13960	4.93	26	70	6	■
NA13961	4.94	26	70	6	■
NA13962	4.95	26	70	6	■
NA13963	4.96	26	70	6	■
NA13964	4.97	26	70	6	■
NA13965	4.98	26	70	6	■
NA13966	4.99	26	70	6	■
NA13967	5.01	26	70	6	■
NA13968	5.02	26	70	6	■
NA13969	5.03	26	70	6	■
NA13970	5.04	26	70	6	■
NA13971	5.05	26	70	6	■
NA13972	5.06	26	70	6	■
NA13973	5.07	26	70	6	■
NA13974	5.08	26	70	6	■
NA13975	5.09	26	70	6	■
NA13976	5.11	26	70	6	■
NA13977	5.12	26	70	6	■
NA13978	5.13	26	70	6	■
NA13979	5.14	26	70	6	■
NA13980	5.15	26	70	6	■
NA13981	5.16	26	70	6	■


TY コード	外径	溝長	全長	シャンク	区分
NA13982	5.17	26	70	6	■
NA13983	5.18	26	70	6	■
NA13984	5.19	26	70	6	■
NA13985	5.21	26	70	6	■
NA13986	5.22	26	70	6	■
NA13987	5.23	26	70	6	■
NA13988	5.24	26	70	6	■
NA13989	5.25	26	70	6	■
NA13990	5.26	26	70	6	■
NA13991	5.27	26	70	6	■
NA13992	5.28	26	70	6	■
NA13993	5.29	26	70	6	■
NA13994	5.31	28	72	6	■
NA13995	5.32	28	72	6	■
NA13996	5.33	28	72	6	■
NA13997	5.34	28	72	6	■
NA13998	5.35	28	72	6	■
NA13999	5.36	28	72	6	■
NA14000	5.37	28	72	6	■
NA14001	5.38	28	72	6	■
NA14002	5.39	28	72	6	■
NA14003	5.41	28	72	6	■
NA14004	5.42	28	72	6	■
NA14005	5.43	28	72	6	■
NA14006	5.44	28	72	6	■
NA14007	5.45	28	72	6	■
NA14008	5.46	28	72	6	■
NA14009	5.47	28	72	6	■
NA14010	5.48	28	72	6	■
NA14011	5.49	28	72	6	■
NA14012	5.51	28	72	6	■
NA14013	5.52	28	72	6	■
NA14014	5.53	28	72	6	■
NA14015	5.54	28	72	6	■
NA14016	5.55	28	72	6	■
NA14017	5.56	28	72	6	■
NA14018	5.57	28	72	6	■
NA14019	5.58	28	72	6	■
NA14020	5.59	28	72	6	■
NA14021	5.61	28	72	6	■
NA14022	5.62	28	72	6	■
NA14023	5.63	28	72	6	■
NA14024	5.64	28	72	6	■
NA14025	5.65	28	72	6	■
NA14026	5.66	28	72	6	■
NA14027	5.67	28	72	6	■
NA14028	5.68	28	72	6	■
NA14029	5.69	28	72	6	■
NA14030	5.71	28	72	6	■
NA14031	5.72	28	72	6	■
NA14032	5.73	28	72	6	■
NA14033	5.74	28	72	6	■
NA14034	5.75	28	72	6	■
NA14035	5.76	28	72	6	■
NA14036	5.77	28	72	6	■
NA14037	5.78	28	72	6	■
NA14038	5.79	28	72	6	■
NA14039	5.81	28	72	6	■

○標準品 ■オリジナル品



AQD3F

アクアドリル 3フルート



NACHI

- 切削バランスに優れた3枚刃を採用しています。
- リーマレスも可能な高精度穴加工を実現します。



TYコード	外径	溝長	全長	シャンク	区分
NA14040	5.82	28	72	6	■
NA14041	5.83	28	72	6	■
NA14042	5.84	28	72	6	■
NA14043	5.85	28	72	6	■
NA14044	5.86	28	72	6	■
NA14045	5.87	28	72	6	■
NA14046	5.88	28	72	6	■
NA14047	5.89	28	72	6	■
NA14048	5.91	28	72	6	■
NA14049	5.92	28	72	6	■
NA14050	5.93	28	72	6	■
NA14051	5.94	28	72	6	■
NA14052	5.95	28	72	6	■
NA14053	5.96	28	72	6	■
NA14054	5.97	28	72	6	■
NA14055	5.98	28	72	6	■
NA14056	5.99	28	72	6	■
NA14057	6.05	31	75	8	■
NA14058	6.15	31	75	8	■
NA14059	6.25	31	75	8	■
NA14060	6.35	31	75	8	■
NA14061	6.45	31	75	8	■
NA14062	6.55	31	75	8	■
NA14063	6.65	31	75	8	■
NA14064	6.75	34	78	8	■
NA14065	6.85	34	78	8	■
NA14066	6.95	34	78	8	■
NA14067	7.05	34	78	8	■
NA14068	7.15	34	78	8	■
NA14069	7.25	34	78	8	■
NA14070	7.35	34	78	8	■
NA14071	7.45	34	78	8	■
NA14072	7.55	37	81	8	■
NA14073	7.65	37	81	8	■
NA14074	7.75	37	81	8	■
NA14075	7.85	37	81	8	■
NA14076	7.95	37	81	8	■
NA14077	8.05	37	87	10	■
NA14078	8.15	37	87	10	■
NA14079	8.25	37	87	10	■
NA14080	8.35	37	87	10	■
NA14081	8.45	37	87	10	■
NA14082	8.55	40	90	10	■
NA14083	8.65	40	90	10	■
NA14084	8.75	40	90	10	■
NA14085	8.85	40	90	10	■
NA14086	8.95	40	90	10	■
NA14087	9.05	40	90	10	■
NA14088	9.15	40	90	10	■
NA14089	9.25	40	90	10	■
NA14090	9.35	40	90	10	■
NA14091	9.45	40	90	10	■
NA14092	9.55	43	93	10	■
NA14093	9.65	43	93	10	■
NA14094	9.75	43	93	10	■
NA14095	9.85	43	93	10	■
NA14096	9.95	43	93	10	■
NA14097	10.05	43	100	12	■

TYコード	外径	溝長	全長	シャンク	区分
NA14098	10.15	43	100	12	■
NA14099	10.25	43	100	12	■
NA14100	10.35	43	100	12	■
NA14101	10.45	43	100	12	■
NA14102	10.55	43	100	12	■
NA14103	10.65	47	104	12	■
NA14104	10.75	47	104	12	■
NA14105	10.85	47	104	12	■
NA14106	10.95	47	104	12	■
NA14107	11.05	47	104	12	■
NA14108	11.15	47	104	12	■
NA14109	11.25	47	104	12	■
NA14110	11.35	47	104	12	■
NA14111	11.45	47	104	12	■
NA14112	11.55	47	104	12	■
NA14113	11.65	47	104	12	■
NA14114	11.75	47	104	12	■
NA14115	11.85	51	108	12	■
NA14116	11.95	51	108	12	■
NA14117	12.05	51	110	14	■
NA14118	12.1	51	110	14	■
NA14119	12.15	51	110	14	■
NA14120	12.2	51	110	14	■
NA14121	12.25	51	110	14	■
NA14122	12.3	51	110	14	■
NA14123	12.35	51	110	14	■
NA14124	12.4	51	110	14	■
NA14125	12.45	51	110	14	■
NA14126	12.5	51	110	14	■
NA14127	12.55	51	110	14	■
NA14128	12.6	51	110	14	■
NA14129	12.65	51	110	14	■
NA14130	12.7	51	110	14	■
NA14131	12.75	51	110	14	■
NA14132	12.8	51	110	14	■
NA14133	12.85	51	110	14	■
NA14134	12.9	51	110	14	■
NA14135	12.95	51	110	14	■
NA14851	6.01	31	75	8	■
NA14852	6.02	31	75	8	■
NA14853	6.48	31	75	8	■
NA14854	6.49	31	75	8	■
NA14855	6.51	31	75	8	■
NA14856	6.52	31	75	8	■
NA14857	6.98	34	78	8	■
NA14858	6.99	34	78	8	■
NA14859	7.01	34	78	8	■
NA14860	7.02	34	78	8	■
NA14861	7.48	34	78	8	■
NA14862	7.49	34	78	8	■
NA14863	7.51	37	81	8	■
NA14864	7.52	37	81	8	■
NA14865	7.98	37	81	8	■
NA14866	7.99	37	81	8	■
NA14867	8.01	37	87	10	■
NA14868	8.02	37	87	10	■
NA14869	8.48	37	87	10	■
NA14870	8.49	37	87	10	■


○標準品 ■オリジナル品

AQD3F

アクアドリル 3フルート



NACHI



- 切削バランスに優れた 3 枚刃を採用しています。
- リーマレスも可能な高精度穴加工を実現します。



TY コード	外径	溝長	全長	シャンク	区分
NA14871	8.51	40	90	10	■
NA14872	8.52	40	90	10	■
NA14873	8.98	40	90	10	■
NA14874	8.99	40	90	10	■
NA14875	9.01	40	90	10	■
NA14876	9.02	40	90	10	■
NA14877	9.48	40	90	10	■
NA14878	9.49	40	90	10	■
NA14879	9.51	43	93	10	■
NA14880	9.52	43	93	10	■
NA14881	9.98	43	93	10	■
NA14882	9.99	43	93	10	■
NA14883	10.01	43	100	12	■
NA14884	10.02	43	100	12	■
NA14885	10.48	43	100	12	■
NA14886	10.49	43	100	12	■
NA14887	10.51	43	100	12	■
NA14888	10.52	43	100	12	■
NA14889	10.98	47	104	12	■
NA14890	10.99	47	104	12	■
NA14891	11.01	47	104	12	■
NA14892	11.02	47	104	12	■
NA14893	11.48	47	104	12	■
NA14894	11.49	47	104	12	■
NA14895	11.51	47	104	12	■
NA14896	11.52	47	104	12	■
NA14897	11.98	51	108	12	■
NA14898	11.99	51	108	12	■
NA14899	12.01	51	110	14	■
NA14900	12.02	51	110	14	■
NA14901	12.48	51	110	14	■
NA14902	12.49	51	110	14	■
NA14903	12.51	51	110	14	■
NA14904	12.52	51	110	14	■
NA14905	12.98	51	110	14	■
NA14906	12.99	51	110	14	■

低炭素鋼 軟鋼	炭素鋼 合金鋼	プレハードン鋼 高合金鋼	調質鋼	焼入鋼 Hardened Steels		ステンレス鋼		耐熱合金	鋳鉄	アルミ合金	銅・銅合金
				40 ~ 50HRC	50 ~ 65HRC	SUS304	SUS420				
SS400, S10C ~ 150HB	S45C, SCM440 ~ 225HB	SUJ, NAK ~ 275HB	SKD, SKH 30 ~ 40HRC	◎		×	○	×	○	×	×

○標準品 ■オリジナル品