


付け刃エンドミル

OCEB形

- 2枚刃・中心刃付き・外周チップ継目無し、エキセントリックリリーフ形、ねじれ角30°




材種：超硬K種（鋳鉄用）

形番	在庫	寸法 (mm)						形番	在庫	寸法 (mm)					
		Dimensions (mm)								Dimensions (mm)					
Cat. No.	Stock	φD	l1	l2	L	φd	C	Cat. No.	Stock	φD	l1	l2	L	φd	C
OCEB-100	●	10	20	55	80	12	0.15~0.2	OCEB-141	□	14.1	25	60	95	16	0.2~0.4
OCEB-101	□	10.1	20	55	80	12	0.15~0.2	OCEB-142	□	14.2	25	60	95	16	0.2~0.4
OCEB-102	□	10.2	20	55	80	12	0.15~0.2	OCEB-143	□	14.3	25	60	95	16	0.2~0.4
OCEB-103	□	10.3	20	55	80	12	0.15~0.2	OCEB-144	□	14.4	25	60	95	16	0.2~0.4
OCEB-104	□	10.4	20	55	80	12	0.15~0.2	OCEB-145	□	14.5	25	60	95	16	0.2~0.4
OCEB-105	□	10.5	20	55	80	12	0.15~0.2	OCEB-146	□	14.6	25	60	95	16	0.2~0.4
OCEB-106	□	10.6	20	55	80	12	0.15~0.2	OCEB-147	□	14.7	25	60	95	16	0.2~0.4
OCEB-107	□	10.7	20	55	80	12	0.15~0.2	OCEB-148	□	14.8	25	60	95	16	0.2~0.4
OCEB-108	□	10.8	20	55	80	12	0.15~0.2	OCEB-149	□	14.9	25	60	95	16	0.2~0.4
OCEB-109	□	10.9	20	55	80	12	0.15~0.2	OCEB-150	●	15	25	60	95	16	0.2~0.4
OCEB-110	●	11	20	55	80	12	0.15~0.2	OCEB-151	□	15.1	25	60	95	16	0.2~0.4
OCEB-111	□	11.1	20	55	80	12	0.15~0.2	OCEB-152	□	15.2	25	60	95	16	0.2~0.4
OCEB-112	□	11.2	20	55	80	12	0.15~0.2	OCEB-153	□	15.3	25	60	95	16	0.2~0.4
OCEB-113	□	11.3	20	55	80	12	0.15~0.2	OCEB-154	□	15.4	25	60	95	16	0.2~0.4
OCEB-114	□	11.4	20	55	80	12	0.15~0.2	OCEB-155	□	15.5	25	60	95	16	0.2~0.4
OCEB-115	□	11.5	20	55	80	12	0.15~0.2	OCEB-156	□	15.6	25	60	95	16	0.2~0.4
OCEB-116	□	11.6	20	55	80	12	0.15~0.2	OCEB-157	□	15.7	25	60	95	16	0.2~0.4
OCEB-117	□	11.7	20	55	80	12	0.15~0.2	OCEB-158	□	15.8	25	60	95	16	0.2~0.4
OCEB-118	□	11.8	20	55	80	12	0.15~0.2	OCEB-159	□	15.9	25	60	95	16	0.2~0.4
OCEB-119	□	11.9	20	55	80	12	0.15~0.2	OCEB-160	●	16	25	60	95	16	0.2~0.4
OCEB-120	●	12	20	55	80	12	0.15~0.2	OCEB-161	□	16.1	30	70	110	20	0.2~0.4
OCEB-121	□	12.1	25	60	95	16	0.15~0.2	OCEB-162	□	16.2	30	70	110	20	0.2~0.4
OCEB-122	□	12.2	25	60	95	16	0.15~0.2	OCEB-163	□	16.3	30	70	110	20	0.2~0.4
OCEB-123	□	12.3	25	60	95	16	0.15~0.2	OCEB-164	□	16.4	30	70	110	20	0.2~0.4
OCEB-124	□	12.4	25	60	95	16	0.15~0.2	OCEB-165	□	16.5	30	70	110	20	0.2~0.4
OCEB-125	□	12.5	25	60	95	16	0.15~0.2	OCEB-166	□	16.6	30	70	110	20	0.2~0.4
OCEB-126	□	12.6	25	60	95	16	0.15~0.2	OCEB-167	□	16.7	30	70	110	20	0.2~0.4
OCEB-127	□	12.7	25	60	95	16	0.15~0.2	OCEB-168	□	16.8	30	70	110	20	0.2~0.4
OCEB-128	□	12.8	25	60	95	16	0.15~0.2	OCEB-169	□	16.9	30	70	110	20	0.2~0.4
OCEB-129	□	12.9	25	60	95	16	0.15~0.2	OCEB-170	●	17	30	70	110	20	0.2~0.4
OCEB-130	●	13	25	60	95	16	0.15~0.2	OCEB-171	□	17.1	30	70	110	20	0.2~0.4
OCEB-131	□	13.1	25	60	95	16	0.15~0.2	OCEB-172	□	17.2	30	70	110	20	0.2~0.4
OCEB-132	□	13.2	25	60	95	16	0.15~0.2	OCEB-173	□	17.3	30	70	110	20	0.2~0.4
OCEB-133	□	13.3	25	60	95	16	0.15~0.2	OCEB-174	□	17.4	30	70	110	20	0.2~0.4
OCEB-134	□	13.4	25	60	95	16	0.15~0.2	OCEB-175	□	17.5	30	70	110	20	0.2~0.4
OCEB-135	□	13.5	25	60	95	16	0.15~0.2	OCEB-176	□	17.6	30	70	110	20	0.2~0.4
OCEB-136	□	13.6	25	60	95	16	0.2~0.4	OCEB-177	□	17.7	30	70	110	20	0.2~0.4
OCEB-137	□	13.7	25	60	95	16	0.2~0.4	OCEB-178	□	17.8	30	70	110	20	0.2~0.4
OCEB-138	□	13.8	25	60	95	16	0.2~0.4	OCEB-179	□	17.9	30	70	110	20	0.2~0.4
OCEB-139	□	13.9	25	60	95	16	0.2~0.4	OCEB-180	●	18	30	70	110	20	0.2~0.4
OCEB-140	●	14	25	60	95	16	0.2~0.4	OCEB-181	□	18.1	30	70	110	20	0.2~0.4

付け刃エンドミル

OCEB形

(前ページの続き)




材種：超硬K種（鋳鉄用）

形番	在庫	寸法 (mm)						形番	在庫	寸法 (mm)					
		Dimensions (mm)								Dimensions (mm)					
Cat. No.	Stock	φD	l1	l2	L	φd	C	Cat. No.	Stock	φD	l1	l2	L	φd	C
OCEB-182	□	18.2	30	70	110	20	0.2~0.4	OCEB-223	□	22.3	40	85	135	25	0.3~0.6
OCEB-183	□	18.3	30	70	110	20	0.2~0.4	OCEB-224	□	22.4	40	85	135	25	0.3~0.6
OCEB-184	□	18.4	30	70	110	20	0.2~0.4	OCEB-225	□	22.5	40	85	135	25	0.3~0.6
OCEB-185	□	18.5	30	70	110	20	0.2~0.4	OCEB-226	□	22.6	40	85	135	25	0.3~0.6
OCEB-186	□	18.6	30	70	110	20	0.2~0.4	OCEB-227	□	22.7	40	85	135	25	0.3~0.6
OCEB-187	□	18.7	30	70	110	20	0.2~0.4	OCEB-228	□	22.8	40	85	135	25	0.3~0.6
OCEB-188	□	18.8	30	70	110	20	0.2~0.4	OCEB-229	□	22.9	40	85	135	25	0.3~0.6
OCEB-189	□	18.9	30	70	110	20	0.2~0.4	OCEB-230	●	23	40	85	135	25	0.3~0.6
OCEB-190	●	19	30	70	110	20	0.2~0.4	OCEB-231	□	23.1	40	85	135	25	0.3~0.6
OCEB-191	□	19.1	30	70	110	20	0.2~0.4	OCEB-232	□	23.2	40	85	135	25	0.3~0.6
OCEB-192	□	19.2	30	70	110	20	0.2~0.4	OCEB-233	□	23.3	40	85	135	25	0.3~0.6
OCEB-193	□	19.3	30	70	110	20	0.2~0.4	OCEB-234	□	23.4	40	85	135	25	0.3~0.6
OCEB-194	□	19.4	30	70	110	20	0.2~0.4	OCEB-235	□	23.5	40	85	135	25	0.3~0.6
OCEB-195	□	19.5	30	70	110	20	0.2~0.4	OCEB-236	□	23.6	40	85	135	25	0.3~0.6
OCEB-196	□	19.6	30	70	110	20	0.3~0.6	OCEB-237	□	23.7	40	85	135	25	0.3~0.6
OCEB-197	□	19.7	30	70	110	20	0.3~0.6	OCEB-238	□	23.8	40	85	135	25	0.3~0.6
OCEB-198	□	19.8	30	70	110	20	0.3~0.6	OCEB-239	□	23.9	40	85	135	25	0.3~0.6
OCEB-199	□	19.9	30	70	110	20	0.3~0.6	OCEB-240	●	24	40	85	135	25	0.3~0.6
OCEB-200	●	20	30	70	110	20	0.3~0.6	OCEB-241	□	24.1	40	85	135	25	0.3~0.6
OCEB-201	□	20.1	30	70	110	20	0.3~0.6	OCEB-242	□	24.2	40	85	135	25	0.3~0.6
OCEB-202	□	20.2	30	70	110	20	0.3~0.6	OCEB-243	□	24.3	40	85	135	25	0.3~0.6
OCEB-203	□	20.3	30	70	110	20	0.3~0.6	OCEB-244	□	24.4	40	85	135	25	0.3~0.6
OCEB-204	□	20.4	30	70	110	20	0.3~0.6	OCEB-245	□	24.5	40	85	135	25	0.3~0.6
OCEB-205	□	20.5	30	70	110	20	0.3~0.6	OCEB-246	□	24.6	40	85	135	25	0.3~0.6
OCEB-206	□	20.6	30	70	110	20	0.3~0.6	OCEB-247	□	24.7	40	85	135	25	0.3~0.6
OCEB-207	□	20.7	30	70	110	20	0.3~0.6	OCEB-248	□	24.8	40	85	135	25	0.3~0.6
OCEB-208	□	20.8	30	70	110	20	0.3~0.6	OCEB-249	□	24.9	40	85	135	25	0.3~0.6
OCEB-209	□	20.9	30	70	110	20	0.3~0.6	OCEB-250	●	25	40	85	135	25	0.3~0.6
OCEB-210	●	21	30	70	110	20	0.3~0.6	OCEB-251	□	25.1	40	85	135	25	0.3~0.6
OCEB-211	□	21.1	30	70	110	20	0.3~0.6	OCEB-252	□	25.2	40	85	135	25	0.3~0.6
OCEB-212	□	21.2	30	70	110	20	0.3~0.6	OCEB-253	□	25.3	40	85	135	25	0.3~0.6
OCEB-213	□	21.3	30	70	110	20	0.3~0.6	OCEB-254	□	25.4	40	85	135	25	0.3~0.6
OCEB-214	□	21.4	30	70	110	20	0.3~0.6	OCEB-255	□	25.5	40	85	135	25	0.3~0.6
OCEB-215	□	21.5	30	70	110	20	0.3~0.6	OCEB-256	□	25.6	40	85	135	25	0.3~0.6
OCEB-216	□	21.6	30	70	110	20	0.3~0.6	OCEB-257	□	25.7	40	85	135	25	0.3~0.6
OCEB-217	□	21.7	30	70	110	20	0.3~0.6	OCEB-258	□	25.8	40	85	135	25	0.3~0.6
OCEB-218	□	21.8	30	70	110	20	0.3~0.6	OCEB-259	□	25.9	40	85	135	25	0.3~0.6
OCEB-219	□	21.9	30	70	110	20	0.3~0.6	OCEB-260	●	26	40	85	135	25	0.3~0.6
OCEB-220	●	22	30	70	110	20	0.3~0.6	OCEB-261	□	26.1	40	85	135	25	0.3~0.6
OCEB-221	□	22.1	40	85	135	25	0.3~0.6	OCEB-262	□	26.2	40	85	135	25	0.3~0.6
OCEB-222	□	22.2	40	85	135	25	0.3~0.6	OCEB-263	□	26.3	40	85	135	25	0.3~0.6

付け刃エンドミル

OCEB形

(前ページの続き)



材種：超硬K種（鉄用）

形番	在庫	寸法 (mm)						形番	在庫	寸法 (mm)					
		Dimensions (mm)								Dimensions (mm)					
Cat. No.	Stock	φD	l1	l2	L	φd	C	Cat. No.	Stock	φD	l1	l2	L	φd	C
OCEB-264	□	26.4	40	85	135	25	0.3~0.6	OCEB-325	□	32.5	55	85	150	32	0.3~0.6
OCEB-265	□	26.5	40	85	135	25	0.3~0.6	OCEB-330	●	33	55	85	150	32	0.3~0.6
OCEB-266	□	26.6	40	85	135	25	0.3~0.6	OCEB-335	□	33.5	55	85	150	32	0.3~0.6
OCEB-267	□	26.7	40	85	135	25	0.3~0.6	OCEB-340	●	34	55	85	150	32	0.3~0.6
OCEB-268	□	26.8	40	85	135	25	0.3~0.6	OCEB-345	□	34.5	55	85	150	32	0.3~0.6
OCEB-269	□	26.9	40	85	135	25	0.3~0.6	OCEB-350	●	35	55	85	150	32	0.3~0.6
OCEB-270	●	27	40	85	135	25	0.3~0.6	OCEB-355	□	35.5	55	85	150	32	0.3~0.6
OCEB-271	□	27.1	40	85	135	25	0.3~0.6	OCEB-360	●	36	55	85	150	32	0.3~0.6
OCEB-272	□	27.2	40	85	135	25	0.3~0.6	OCEB-370	●	37	55	85	150	32	0.3~0.6
OCEB-273	□	27.3	40	85	135	25	0.3~0.6	OCEB-380	●	38	55	85	150	32	0.3~0.6
OCEB-274	□	27.4	40	85	135	25	0.3~0.6	OCEB-390	●	39	55	85	150	32	0.5~0.8
OCEB-275	□	27.5	40	85	135	25	0.3~0.6	OCEB-400	●	40	65	85	160	32	0.5~0.8
OCEB-276	□	27.6	40	85	135	25	0.3~0.6	OCEB-410	●	41	65	85	160	32	0.5~0.8
OCEB-277	□	27.7	40	85	135	25	0.3~0.6	OCEB-420	●	42	65	85	160	32	0.5~0.8
OCEB-278	□	27.8	40	85	135	25	0.3~0.6	OCEB-430	●	43	65	85	160	32	0.5~0.8
OCEB-279	□	27.9	40	85	135	25	0.3~0.6	OCEB-440	●	44	65	85	160	32	0.5~0.8
OCEB-280	●	28	40	85	135	25	0.3~0.6	OCEB-450	●	45	65	85	160	32	0.5~0.8
OCEB-281	□	28.1	55	85	150	32	0.3~0.6	OCEB-460	●	46	65	85	160	32	0.5~0.8
OCEB-282	□	28.2	55	85	150	32	0.3~0.6	OCEB-470	●	47	65	85	160	32	0.5~0.8
OCEB-283	□	28.3	55	85	150	32	0.3~0.6	OCEB-480	●	48	65	85	160	32	0.5~0.8
OCEB-284	□	28.4	55	85	150	32	0.3~0.6	OCEB-490	●	49	65	85	160	32	0.5~0.8
OCEB-285	□	28.5	55	85	150	32	0.3~0.6	OCEB-500	●	50	65	85	160	32	0.5~0.8
OCEB-286	□	28.6	55	85	150	32	0.3~0.6	OCEB-510	□	51	65	85	160	42	0.5~0.8
OCEB-287	□	28.7	55	85	150	32	0.3~0.6	OCEB-520	□	52	65	85	160	42	0.5~0.8
OCEB-288	□	28.8	55	85	150	32	0.3~0.6	OCEB-530	□	53	65	85	160	42	0.5~0.8
OCEB-289	□	28.9	55	85	150	32	0.3~0.6	OCEB-540	□	54	65	85	160	42	0.5~0.8
OCEB-290	●	29	55	85	150	32	0.3~0.6	OCEB-550	□	55	70	85	170	42	0.5~0.8
OCEB-291	□	29.1	55	85	150	32	0.3~0.6	OCEB-560	□	56	70	85	170	42	0.5~0.8
OCEB-292	□	29.2	55	85	150	32	0.3~0.6	OCEB-570	□	57	70	85	170	42	0.5~0.8
OCEB-293	□	29.3	55	85	150	32	0.3~0.6	OCEB-580	□	58	70	85	170	42	0.5~0.8
OCEB-294	□	29.4	55	85	150	32	0.3~0.6	OCEB-590	□	59	70	85	170	42	0.5~0.8
OCEB-295	□	29.5	55	85	150	32	0.3~0.6	OCEB-600	□	60	70	85	170	42	0.5~0.8
OCEB-296	□	29.6	55	85	150	32	0.3~0.6								
OCEB-297	□	29.7	55	85	150	32	0.3~0.6								
OCEB-298	□	29.8	55	85	150	32	0.3~0.6								
OCEB-299	□	29.9	55	85	150	32	0.3~0.6								
OCEB-300	●	30	55	85	150	32	0.3~0.6								
OCEB-305	□	30.5	55	85	150	32	0.3~0.6								
OCEB-310	●	31	55	85	150	32	0.3~0.6								
OCEB-315	□	31.5	55	85	150	32	0.3~0.6								
OCEB-320	●	32	55	85	150	32	0.3~0.6								