

Epoch Rib Ball エポック リブボール



$D_s \leq 6$: 0 ~ -0.005
 $6 < D_s$: 0 ~ -0.006

(mm)



片角公差 : ±5°
 Tolerance on angle



4枚刃
 4Flutes

EPRB○○○○-○○-C



商品コード Item Code	在庫 Stock	寸法 Size (mm)						
		ボール半径 R	外径 Mill Dia.	刃部テーパ半角 Taper Angle on side	刃長 Flute Length	大端径 Large Edge Dia.	全長 Overall Length	シャンク径 Shank Dia.
EPRB0604-05-C	<input type="checkbox"/>	0.3	0.6	30'	4	0.67	50	4
EPRB0606-05-C	<input type="checkbox"/>	0.3	0.6	30'	6	0.7	50	4
EPRB0604-07-C	<input type="checkbox"/>	0.3	0.6	45'	4	0.7	50	4
EPRB0606-07-C	<input type="checkbox"/>	0.3	0.6	45'	6	0.75	50	4
EPRB0604-10-C	<input type="checkbox"/>	0.3	0.6	1°	4	0.73	50	4
EPRB0606-10-C	<input type="checkbox"/>	0.3	0.6	1°	6	0.8	50	4
EPRB0604-15-C	<input type="checkbox"/>	0.3	0.6	1° 30'	4	0.79	50	4
EPRB0606-15-C	<input type="checkbox"/>	0.3	0.6	1° 30'	6	0.9	50	4
EPRB0604-20-C	<input type="checkbox"/>	0.3	0.6	2°	4	0.86	50	4
EPRB0606-20-C	<input type="checkbox"/>	0.3	0.6	2°	6	1	50	4
EPRB0806-05-C	<input type="checkbox"/>	0.4	0.8	30'	6	0.9	50	4
EPRB0808-05-C	<input type="checkbox"/>	0.4	0.8	30'	8	0.93	50	4
EPRB0810-05-C	<input type="checkbox"/>	0.4	0.8	30'	10	0.97	50	4
EPRB0806-07-C	<input type="checkbox"/>	0.4	0.8	45'	6	0.95	50	4
EPRB0808-07-C	<input type="checkbox"/>	0.4	0.8	45'	8	1	50	4
EPRB0810-07-C	<input type="checkbox"/>	0.4	0.8	45'	10	1.05	50	4
EPRB0806-10-C	<input type="checkbox"/>	0.4	0.8	1°	6	1	50	4
EPRB0808-10-C	<input type="checkbox"/>	0.4	0.8	1°	8	1.07	50	4
EPRB0810-10-C	<input type="checkbox"/>	0.4	0.8	1°	10	1.14	50	4
EPRB0806-15-C	<input type="checkbox"/>	0.4	0.8	1° 30'	6	1.09	50	4
EPRB0808-15-C	<input type="checkbox"/>	0.4	0.8	1° 30'	8	1.2	50	4
EPRB0810-15-C	<input type="checkbox"/>	0.4	0.8	1° 30'	10	1.3	50	4
EPRB0806-20-C	<input type="checkbox"/>	0.4	0.8	2°	6	1.19	50	4
EPRB0808-20-C	<input type="checkbox"/>	0.4	0.8	2°	8	1.33	50	4
EPRB0810-20-C	<input type="checkbox"/>	0.4	0.8	2°	10	1.47	50	4
EPRB1008-05-C	<input type="checkbox"/>	0.5	1	30'	8	1.13	50	4
EPRB1010-05-C	<input type="checkbox"/>	0.5	1	30'	10	1.17	50	4
EPRB1012-05-C	<input type="checkbox"/>	0.5	1	30'	12	1.2	50	4
EPRB1016-05-C	<input type="checkbox"/>	0.5	1	30'	16	1.27	50	4
EPRB1008-07-C	<input type="checkbox"/>	0.5	1	45'	8	1.2	50	4
EPRB1010-07-C	<input type="checkbox"/>	0.5	1	45'	10	1.25	50	4
EPRB1012-07-C	<input type="checkbox"/>	0.5	1	45'	12	1.3	50	4
EPRB1008-10-C	<input type="checkbox"/>	0.5	1	1°	8	1.26	50	4
EPRB1010-10-C	<input type="checkbox"/>	0.5	1	1°	10	1.33	50	4
EPRB1012-10-C	<input type="checkbox"/>	0.5	1	1°	12	1.4	50	4
EPRB1016-10-C	<input type="checkbox"/>	0.5	1	1°	16	1.54	50	4
EPRB1008-15-C	<input type="checkbox"/>	0.5	1	1° 30'	8	1.39	50	4
EPRB1010-15-C	<input type="checkbox"/>	0.5	1	1° 30'	10	1.5	50	4
EPRB1012-15-C	<input type="checkbox"/>	0.5	1	1° 30'	12	1.6	50	4
EPRB1016-15-C	<input type="checkbox"/>	0.5	1	1° 30'	16	1.81	50	4
EPRB1008-20-C	<input type="checkbox"/>	0.5	1	2°	8	1.53	50	4
EPRB1010-20-C	<input type="checkbox"/>	0.5	1	2°	10	1.66	50	4
EPRB1012-20-C	<input type="checkbox"/>	0.5	1	2°	12	1.8	50	4
EPRB1016-20-C	<input type="checkbox"/>	0.5	1	2°	16	2.08	50	4
EPRB1206-05-C	<input type="checkbox"/>	0.6	1.2	30'	6	1.29	50	4
EPRB1208-05-C	<input type="checkbox"/>	0.6	1.2	30'	8	1.33	50	4
EPRB1210-05-C	<input type="checkbox"/>	0.6	1.2	30'	10	1.37	50	4

商品コード Item Code	在庫 Stock	寸法 Size (mm)						
		ボール半径 R	外径 Mill Dia.	刃部テーパ半角 Taper Angle on side	刃長 Flute Length	大端径 Large Edge Dia.	全長 Overall Length	シャンク径 Shank Dia.
EPRB1212-05-C	<input type="checkbox"/>	0.6	1.2	30'	12	1.4	50	4
EPRB1216-05-C	<input type="checkbox"/>	0.6	1.2	30'	16	1.47	50	4
EPRB1220-05-C	<input type="checkbox"/>	0.6	1.2	30'	20	1.54	60	4
EPRB1208-07-C	<input type="checkbox"/>	0.6	1.2	45'	8	1.39	50	4
EPRB1210-07-C	<input type="checkbox"/>	0.6	1.2	45'	10	1.45	50	4
EPRB1212-07-C	<input type="checkbox"/>	0.6	1.2	45'	12	1.5	50	4
EPRB1216-07-C	<input type="checkbox"/>	0.6	1.2	45'	16	1.6	50	4
EPRB1206-10-C	<input type="checkbox"/>	0.6	1.2	1°	6	1.39	50	4
EPRB1208-10-C	<input type="checkbox"/>	0.6	1.2	1°	8	1.46	50	4
EPRB1210-10-C	<input type="checkbox"/>	0.6	1.2	1°	10	1.53	50	4
EPRB1212-10-C	<input type="checkbox"/>	0.6	1.2	1°	12	1.6	50	4
EPRB1216-10-C	<input type="checkbox"/>	0.6	1.2	1°	16	1.74	50	4
EPRB1220-10-C	<input type="checkbox"/>	0.6	1.2	1°	20	1.88	60	4
EPRB1206-15-C	<input type="checkbox"/>	0.6	1.2	1° 30'	6	1.48	50	4
EPRB1208-15-C	<input type="checkbox"/>	0.6	1.2	1° 30'	8	1.59	50	4
EPRB1210-15-C	<input type="checkbox"/>	0.6	1.2	1° 30'	10	1.69	50	4
EPRB1212-15-C	<input type="checkbox"/>	0.6	1.2	1° 30'	12	1.8	50	4
EPRB1216-15-C	<input type="checkbox"/>	0.6	1.2	1° 30'	16	2.01	50	4
EPRB1206-20-C	<input type="checkbox"/>	0.6	1.2	2°	6	1.58	50	4
EPRB1208-20-C	<input type="checkbox"/>	0.6	1.2	2°	8	1.72	50	4
EPRB1210-20-C	<input type="checkbox"/>	0.6	1.2	2°	10	1.86	50	4
EPRB1212-20-C	<input type="checkbox"/>	0.6	1.2	2°	12	2	50	4
EPRB1216-20-C	<input type="checkbox"/>	0.6	1.2	2°	16	2.28	50	4
EPRB1220-20-C	<input type="checkbox"/>	0.6	1.2	2°	20	2.56	60	4
EPRB1508-05-C	<input type="checkbox"/>	0.75	1.5	30'	8	1.63	50	4
EPRB1510-05-C	<input type="checkbox"/>	0.75	1.5	30'	10	1.66	50	4
EPRB1512-05-C	<input type="checkbox"/>	0.75	1.5	30'	12	1.7	50	4
EPRB1516-05-C	<input type="checkbox"/>	0.75	1.5	30'	16	1.77	50	4
EPRB1520-05-C	<input type="checkbox"/>	0.75	1.5	30'	20	1.84	60	4
EPRB1508-07-C	<input type="checkbox"/>	0.75	1.5	45'	8	1.69	50	4
EPRB1510-07-C	<input type="checkbox"/>	0.75	1.5	45'	10	1.74	50	4
EPRB1512-07-C	<input type="checkbox"/>	0.75	1.5	45'	12	1.8	50	4
EPRB1516-07-C	<input type="checkbox"/>	0.75	1.5	45'	16	1.9	50	4
EPRB1520-07-C	<input type="checkbox"/>	0.75	1.5	45'	20	2	60	4
EPRB1508-10-C	<input type="checkbox"/>	0.75	1.5	1°	8	1.25	50	4
EPRB1510-10-C	<input type="checkbox"/>	0.75	1.5	1°	10	1.82	50	4
EPRB1512-10-C	<input type="checkbox"/>	0.75	1.5	1°	12	1.9	50	4
EPRB1516-10-C	<input type="checkbox"/>	0.75	1.5	1°	16	2.03	50	4
EPRB1520-10-C	<input type="checkbox"/>	0.75	1.5	1°	20	2.17	60	4
EPRB1508-15-C	<input type="checkbox"/>	0.75	1.5	1° 30'	8	1.88	50	4
EPRB1510-15-C	<input type="checkbox"/>	0.75	1.5	1° 30'	10	1.99	50	4
EPRB1512-15-C	<input type="checkbox"/>	0.75	1.5	1° 30'	12	2.09	50	4
EPRB1516-15-C	<input type="checkbox"/>	0.75	1.5	1° 30'	16	2.3	50	4
EPRB1520-15-C	<input type="checkbox"/>	0.75	1.5	1° 30'	20	2.51	60	4
EPRB1508-20-C	<input type="checkbox"/>	0.75	1.5	2°	8	2.01	50	4
EPRB1510-20-C	<input type="checkbox"/>	0.75	1.5	2°	10	2.15	50	4
EPRB1512-20-C	<input type="checkbox"/>	0.75	1.5	2°	12	2.29	50	4

印：特定代理店在庫です。弊社営業へお問合せください。
 : Stocked by specified distributor. Contact with our sales department.

EPRB○○○○○-○-C

商品コード Item Code	在庫 Stock	寸法 Size (mm)							シャンク径 Shank Dia.
		ボール半径 R	外径 Mill Dia.	刃部テーパ半角 Taper Angle on side	刃長 Flute Length	大端径 Large Edge Dia.	全長 Overall Length		
EPRB1516-20-C	<input type="checkbox"/>	0.75	1.5	2°	16	2.57	50	4	
EPRB1520-20-C	<input type="checkbox"/>	0.75	1.5	2°	20	2.85	60	4	
EPRB1608-05-C	<input type="checkbox"/>	0.8	1.6	30'	8	1.73	50	4	
EPRB1610-05-C	<input type="checkbox"/>	0.8	1.6	30'	10	1.76	50	4	
EPRB1612-05-C	<input type="checkbox"/>	0.8	1.6	30'	12	1.8	50	4	
EPRB1616-05-C	<input type="checkbox"/>	0.8	1.6	30'	16	1.87	50	4	
EPRB1620-05-C	<input type="checkbox"/>	0.8	1.6	30'	20	1.94	60	4	
EPRB1608-07-C	<input type="checkbox"/>	0.8	1.6	45'	8	1.79	50	4	
EPRB1610-07-C	<input type="checkbox"/>	0.8	1.6	45'	10	1.84	50	4	
EPRB1612-07-C	<input type="checkbox"/>	0.8	1.6	45'	12	1.89	50	4	
EPRB1616-07-C	<input type="checkbox"/>	0.8	1.6	45'	16	2	50	4	
EPRB1620-07-C	<input type="checkbox"/>	0.8	1.6	45'	20	2.1	60	4	
EPRB1608-10-C	<input type="checkbox"/>	0.8	1.6	1°	8	1.85	50	4	
EPRB1610-10-C	<input type="checkbox"/>	0.8	1.6	1°	10	1.92	50	4	
EPRB1612-10-C	<input type="checkbox"/>	0.8	1.6	1°	12	1.99	50	4	
EPRB1616-10-C	<input type="checkbox"/>	0.8	1.6	1°	16	2.13	50	4	
EPRB1620-10-C	<input type="checkbox"/>	0.8	1.6	1°	20	2.27	60	4	
EPRB1608-15-C	<input type="checkbox"/>	0.8	1.6	1° 30'	8	1.98	50	4	
EPRB1610-15-C	<input type="checkbox"/>	0.8	1.6	1° 30'	10	2.08	50	4	
EPRB1612-15-C	<input type="checkbox"/>	0.8	1.6	1° 30'	12	2.19	50	4	
EPRB1616-15-C	<input type="checkbox"/>	0.8	1.6	1° 30'	16	2.4	50	4	
EPRB1620-15-C	<input type="checkbox"/>	0.8	1.6	1° 30'	20	2.61	60	4	
EPRB1608-20-C	<input type="checkbox"/>	0.8	1.6	2°	8	2.1	50	4	
EPRB1610-20-C	<input type="checkbox"/>	0.8	1.6	2°	10	2.24	50	4	
EPRB1612-20-C	<input type="checkbox"/>	0.8	1.6	2°	12	2.38	50	4	
EPRB1616-20-C	<input type="checkbox"/>	0.8	1.6	2°	16	2.66	50	4	
EPRB1620-20-C	<input type="checkbox"/>	0.8	1.6	2°	20	2.94	60	4	
EPRB1808-05-C	<input type="checkbox"/>	0.9	1.8	30'	8	1.92	50	4	
EPRB1810-05-C	<input type="checkbox"/>	0.9	1.8	30'	10	1.96	50	4	
EPRB1812-05-C	<input type="checkbox"/>	0.9	1.8	30'	12	1.99	50	4	
EPRB1816-05-C	<input type="checkbox"/>	0.9	1.8	30'	16	2.06	50	4	
EPRB1820-05-C	<input type="checkbox"/>	0.9	1.8	30'	20	2.13	60	4	
EPRB1808-07-C	<input type="checkbox"/>	0.9	1.8	45'	8	1.99	50	4	
EPRB1810-07-C	<input type="checkbox"/>	0.9	1.8	45'	10	2.04	50	4	
EPRB1812-07-C	<input type="checkbox"/>	0.9	1.8	45'	12	2.09	50	4	
EPRB1816-07-C	<input type="checkbox"/>	0.9	1.8	45'	16	2.2	50	4	
EPRB1820-07-C	<input type="checkbox"/>	0.9	1.8	45'	20	2.3	60	4	
EPRB1808-10-C	<input type="checkbox"/>	0.9	1.8	1°	8	2.05	50	4	
EPRB1810-10-C	<input type="checkbox"/>	0.9	1.8	1°	10	2.12	50	4	
EPRB1812-10-C	<input type="checkbox"/>	0.9	1.8	1°	12	2.19	50	4	
EPRB1816-10-C	<input type="checkbox"/>	0.9	1.8	1°	16	2.34	50	4	
EPRB1820-10-C	<input type="checkbox"/>	0.9	1.8	1°	20	2.47	60	4	
EPRB1808-15-C	<input type="checkbox"/>	0.9	1.8	1° 30'	8	2.17	50	4	
EPRB1810-15-C	<input type="checkbox"/>	0.9	1.8	1° 30'	10	2.28	50	4	
EPRB1812-15-C	<input type="checkbox"/>	0.9	1.8	1° 30'	12	2.38	50	4	
EPRB1816-15-C	<input type="checkbox"/>	0.9	1.8	1° 30'	16	2.59	50	4	
EPRB1820-15-C	<input type="checkbox"/>	0.9	1.8	1° 30'	20	2.8	60	4	

印：特定代理店在庫です。弊社営業へお問合せください。
：Stocked by specified distributor. Contact with our sales department.


商品コード Item Code	在庫 Stock	寸法 Size (mm)							シャンク径 Shank Dia.
		ボール半径 R	外径 Mill Dia.	刃部テーパ半角 Taper Angle on side	刃長 Flute Length	大端径 Large Edge Dia.	全長 Overall Length		
EPRB1808-20-C	<input type="checkbox"/>	0.9	1.8	2°	8	2.3	50	4	
EPRB1810-20-C	<input type="checkbox"/>	0.9	1.8	2°	10	2.44	50	4	
EPRB1812-20-C	<input type="checkbox"/>	0.9	1.8	2°	12	2.58	50	4	
EPRB1816-20-C	<input type="checkbox"/>	0.9	1.8	2°	16	2.86	50	4	
EPRB1820-20-C	<input type="checkbox"/>	0.9	1.8	2°	20	3.14	60	4	
EPRB2010-05-C	<input type="checkbox"/>	1	2	30'	10	2.16	50	4	
EPRB2012-05-C	<input type="checkbox"/>	1	2	30'	12	2.19	50	4	
EPRB2016-05-C	<input type="checkbox"/>	1	2	30'	16	2.26	50	4	
EPRB2020-05-C	<input type="checkbox"/>	1	2	30'	20	2.33	60	4	
EPRB2025-05-C	<input type="checkbox"/>	1	2	30'	25	2.42	60	4	
EPRB2010-07-C	<input type="checkbox"/>	1	2	45'	10	2.24	50	4	
EPRB2012-07-C	<input type="checkbox"/>	1	2	45'	12	2.29	50	4	
EPRB2016-07-C	<input type="checkbox"/>	1	2	45'	16	2.39	50	4	
EPRB2020-07-C	<input type="checkbox"/>	1	2	45'	20	2.5	60	4	
EPRB2025-07-C	<input type="checkbox"/>	1	2	45'	25	2.63	60	4	
EPRB2010-10-C	<input type="checkbox"/>	1	2	1°	10	2.31	50	4	
EPRB2012-10-C	<input type="checkbox"/>	1	2	1°	12	2.38	50	4	
EPRB2016-10-C	<input type="checkbox"/>	1	2	1°	16	2.52	50	4	
EPRB2020-10-C	<input type="checkbox"/>	1	2	1°	20	2.66	60	4	
EPRB2025-10-C	<input type="checkbox"/>	1	2	1°	25	2.84	60	4	
EPRB2010-15-C	<input type="checkbox"/>	1	2	1° 30'	10	2.47	50	4	
EPRB2012-15-C	<input type="checkbox"/>	1	2	1° 30'	12	2.58	50	4	
EPRB2016-15-C	<input type="checkbox"/>	1	2	1° 30'	16	2.79	50	4	
EPRB2020-15-C	<input type="checkbox"/>	1	2	1° 30'	20	3	60	4	
EPRB2025-15-C	<input type="checkbox"/>	1	2	1° 30'	25	3.26	60	4	
EPRB2010-20-C	<input type="checkbox"/>	1	2	2°	10	2.63	50	4	
EPRB2012-20-C	<input type="checkbox"/>	1	2	2°	12	2.77	50	4	
EPRB2016-20-C	<input type="checkbox"/>	1	2	2°	16	3.05	50	4	
EPRB2020-20-C	<input type="checkbox"/>	1	2	2°	20	3.33	60	4	
EPRB2025-20-C	<input type="checkbox"/>	1	2	2°	25	3.68	60	4	
EPRB2510-05-C	<input type="checkbox"/>	1.25	2.5	30'	10	2.65	50	4	
EPRB2512-05-C	<input type="checkbox"/>	1.25	2.5	30'	12	2.69	50	4	
EPRB2516-05-C	<input type="checkbox"/>	1.25	2.5	30'	16	2.76	50	4	
EPRB2520-05-C	<input type="checkbox"/>	1.25	2.5	30'	20	2.83	60	6	
EPRB2525-05-C	<input type="checkbox"/>	1.25	2.5	30'	25	2.91	60	6	
EPRB2530-05-C	<input type="checkbox"/>	1.25	2.5	30'	30	3	75	6	
EPRB2510-07-C	<input type="checkbox"/>	1.25	2.5	45'	10	2.73	50	4	
EPRB2512-07-C	<input type="checkbox"/>	1.25	2.5	45'	12	2.78	50	4	
EPRB2516-07-C	<input type="checkbox"/>	1.25	2.5	45'	16	2.89	50	4	
EPRB2520-07-C	<input type="checkbox"/>	1.25	2.5	45'	20	2.99	60	6	
EPRB2525-07-C	<input type="checkbox"/>	1.25	2.5	45'	25	3.12	60	6	
EPRB2530-07-C	<input type="checkbox"/>	1.25	2.5	45'	30	3.25	75	6	
EPRB2510-10-C	<input type="checkbox"/>	1.25	2.5	1°	10	2.81	50	4	
EPRB2512-10-C	<input type="checkbox"/>	1.25	2.5	1°	12	2.88	50	4	
EPRB2516-10-C	<input type="checkbox"/>	1.25	2.5	1°	16	3.02	50	4	
EPRB2520-10-C	<input type="checkbox"/>	1.25	2.5	1°	20	3.16	60	6	
EPRB2525-10-C	<input type="checkbox"/>	1.25	2.5	1°	25	3.33	60	6	

Epoch Rib Ball エポック リブボール



$D_s \leq 6$: 0~-0.005
 $6 < D_s$: 0~-0.006

(mm)



片角公差 : $\pm 5'$
Tolerance on angle

4枚刃
4Flutes

EPRB○○○○-○○-C



商品コード Item Code	在庫 Stock	寸法 Size (mm)						
		ボール半径 R	外径 Mill Dia.	刃部テーパ半角 Taper Angle on Side	刃長 Flute Length	大端径 Large Edge Dia.	全長 Overall Length	シャンク径 Shank Dia.
EPRB2530-10-C	<input type="checkbox"/>	1.25	2.5	1°	30	3.5	75	6
EPRB2510-15-C	<input type="checkbox"/>	1.25	2.5	1° 30'	10	2.96	50	4
EPRB2512-15-C	<input type="checkbox"/>	1.25	2.5	1° 30'	12	3.06	50	4
EPRB2516-15-C	<input type="checkbox"/>	1.25	2.5	1° 30'	16	3.27	50	4
EPRB2520-15-C	<input type="checkbox"/>	1.25	2.5	1° 30'	20	3.48	60	6
EPRB2525-15-C	<input type="checkbox"/>	1.25	2.5	1° 30'	25	3.74	60	6
EPRB2530-15-C	<input type="checkbox"/>	1.25	2.5	1° 30'	30	4.01	75	6
EPRB2510-20-C	<input type="checkbox"/>	1.25	2.5	2°	10	3.11	50	4
EPRB2512-20-C	<input type="checkbox"/>	1.25	2.5	2°	12	3.25	50	4
EPRB2516-20-C	<input type="checkbox"/>	1.25	2.5	2°	16	3.53	50	4
EPRB2520-20-C	<input type="checkbox"/>	1.25	2.5	2°	20	3.81	60	6
EPRB2525-20-C	<input type="checkbox"/>	1.25	2.5	2°	25	4.16	60	6
EPRB2530-20-C	<input type="checkbox"/>	1.25	2.5	2°	30	4.51	75	6
EPRB2520-30-C	<input type="checkbox"/>	1.25	2.5	3°	20	4.47	60	6
EPRB2530-30-C	<input type="checkbox"/>	1.25	2.5	3°	30	5.51	75	6
EPRB3025-05-C	<input type="checkbox"/>	1.5	3	30'	25	3.41	60	6
EPRB3040-05-C	<input type="checkbox"/>	1.5	3	30'	40	3.67	75	6
EPRB3025-07-C	<input type="checkbox"/>	1.5	3	45'	25	3.61	60	6
EPRB3025-10-C	<input type="checkbox"/>	1.5	3	1°	25	3.81	60	6
EPRB3040-10-C	<input type="checkbox"/>	1.5	3	1°	40	4.34	75	6
EPRB3025-15-C	<input type="checkbox"/>	1.5	3	1° 30'	25	4.23	60	6
EPRB3040-15-C	<input type="checkbox"/>	1.5	3	1° 30'	40	5.02	75	6
EPRB3025-20-C	<input type="checkbox"/>	1.5	3	2°	25	4.64	60	6
EPRB3040-20-C	<input type="checkbox"/>	1.5	3	2°	40	5.69	75	6
EPRB3025-30-C	<input type="checkbox"/>	1.5	3	3°	25	5.46	60	6
EPRB3040-30-C	<input type="checkbox"/>	1.5	3	3°	40	7.04	80	8

印：特定代理店在庫です。弊社営業へお問合せください。
 : Stocked by specified distributor. Contact with our sales department.