

IT-TF-C ミニチュア




呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
S0.5×0.125	1C-S1	1C	S1	2	30	3	
S0.5×0.125	1C-S2	1C	S2	2	30	3	
S0.5×0.125	1C-S3	1C	S3	2	30	3	
S0.5×0.125	B-S1	B	S1	2	30	3	
S0.5×0.125	B-S2	B	S2	2	30	3	
S0.5×0.125	B-S3	B	S3	2	30	3	
S0.6×0.15	1C-S1	1C	S1	2.5	30	3	
S0.6×0.15	1C-S2	1C	S2	2.5	30	3	
S0.6×0.15	1C-S3	1C	S3	2.5	30	3	
S0.6×0.15	B-S1	B	S1	2.5	30	3	
S0.6×0.15	B-S2	B	S2	2.5	30	3	
S0.6×0.15	B-S3	B	S3	2.5	30	3	
S0.7×0.175	1C-S2	1C	S2	2.5	30	3	
S0.7×0.175	1C-S3	1C	S3	2.5	30	3	
S0.7×0.175	1C-S4	1C	S4	2.5	30	3	

食付部山数

記号	山数
1C	1山
B	2山

ミニチュアねじ用IT-TFの精度番号と有効径位置



呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
S0.7×0.175	B-S2	B	S2	2.5	30	3	
S0.7×0.175	B-S3	B	S3	2.5	30	3	
S0.7×0.175	B-S4	B	S4	2.5	30	3	
S0.8×0.2	1C-S2	1C	S2	3	30	3	
S0.8×0.2	1C-S3	1C	S3	3	30	3	
S0.8×0.2	1C-S4	1C	S4	3	30	3	
S0.8×0.2	B-S2	B	S2	3	30	3	
S0.8×0.2	B-S3	B	S3	3	30	3	
S0.8×0.2	B-S4	B	S4	3	30	3	
S0.9×0.225	1C-S2	1C	S2	3	30	3	
S0.9×0.225	1C-S3	1C	S3	3	30	3	
S0.9×0.225	1C-S4	1C	S4	3	30	3	
S0.9×0.225	B-S2	B	S2	3	30	3	
S0.9×0.225	B-S3	B	S3	3	30	3	
S0.9×0.225	B-S4	B	S4	3	30	3	

IT-TF-C ミニチュア ロング




呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
S0.5×0.125×50	1C-S1	1C	S1	2	50	3		
S0.5×0.125×50	1C-S2	1C	S2	2	50	3		
S0.5×0.125×50	1C-S3	1C	S3	2	50	3		
S0.5×0.125×50	B-S1	B	S1	2	50	3		
S0.5×0.125×50	B-S2	B	S2	2	50	3		
S0.5×0.125×50	B-S3	B	S3	2	50	3		
S0.6×0.15 ×50	1C-S1	1C	S1	2.5	50	3		
S0.6×0.15 ×50	1C-S2	1C	S2	2.5	50	3		
S0.6×0.15 ×50	1C-S3	1C	S3	2.5	50	3		
S0.6×0.15 ×50	B-S1	B	S1	2.5	50	3		
S0.6×0.15 ×50	B-S2	B	S2	2.5	50	3		
S0.6×0.15 ×50	B-S3	B	S3	2.5	50	3		
S0.7×0.175×50	1C-S2	1C	S2	2.5	50	3		
S0.7×0.175×50	1C-S3	1C	S3	2.5	50	3		
S0.7×0.175×50	1C-S4	1C	S4	2.5	50	3		

食付部山数

記号	山数
1C	1山
B	2山

ミニチュアねじ用IT-TFの精度番号と有効径位置



呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
S0.7×0.175×50	B-S2	B	S2	2.5	50	3		
S0.7×0.175×50	B-S3	B	S3	2.5	50	3		
S0.7×0.175×50	B-S4	B	S4	2.5	50	3		
S0.8×0.2 ×50	1C-S2	1C	S2	3	50	3		
S0.8×0.2 ×50	1C-S3	1C	S3	3	50	3		
S0.8×0.2 ×50	1C-S4	1C	S4	3	50	3		
S0.8×0.2 ×50	B-S2	B	S2	3	50	3		
S0.8×0.2 ×50	B-S3	B	S3	3	50	3		
S0.8×0.2 ×50	B-S4	B	S4	3	50	3		
S0.9×0.225×50	1C-S2	1C	S2	3	50	3		
S0.9×0.225×50	1C-S3	1C	S3	3	50	3		
S0.9×0.225×50	1C-S4	1C	S4	3	50	3		
S0.9×0.225×50	B-S2	B	S2	3	50	3		
S0.9×0.225×50	B-S3	B	S3	3	50	3		
S0.9×0.225×50	B-S4	B	S4	3	50	3		

盛上げタフレット (タフレット) (アップタフ)

専門在庫表
STOCKED BY SPECIFIC DISTRIBUTOR

IT TAFLET-C
アップタフレット-C

IT-TF-C




呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M1	×0.25	1C0	1C	0	5	30	3
M1	×0.25	1C1	1C	1	5	30	3
M1	×0.25	1C2	1C	2	5	30	3
M1	×0.25	1C3	1C	3	5	30	3
M1	×0.25	1C4	1C	4	5	30	3
M1	×0.25	1C5	1C	5	5	30	3
M1	×0.25	1C6	1C	6	5	30	3
M1	×0.25	1C7	1C	7	5	30	3
M1	×0.25	1C8	1C	8	5	30	3
M1	×0.25	B0	B	0	5	30	3
M1	×0.25	B1	B	1	5	30	3
M1	×0.25	B2	B	2	5	30	3
M1	×0.25	B3	B	3	5	30	3
M1	×0.25	B4	B	4	5	30	3
M1	×0.25	B5	B	5	5	30	3
M1	×0.25	B6	B	6	5	30	3
M1	×0.25	B7	B	7	5	30	3
M1	×0.25	B8	B	8	5	30	3
M1	×0.25	3C0	3C	0	5	30	3
M1	×0.25	3C1	3C	1	5	30	3
M1	×0.25	3C2	3C	2	5	30	3
M1	×0.25	3C3	3C	3	5	30	3
M1	×0.25	3C4	3C	4	5	30	3
M1	×0.25	3C5	3C	5	5	30	3
M1	×0.25	3C6	3C	6	5	30	3
M1	×0.25	3C7	3C	7	5	30	3
M1	×0.25	3C8	3C	8	5	30	3
M1	×0.25	P0	P	0	5	30	3
M1	×0.25	P1	P	1	5	30	3
M1	×0.25	P2	P	2	5	30	3
M1	×0.25	P3	P	3	5	30	3
M1	×0.25	P4	P	4	5	30	3
M1	×0.25	P5	P	5	5	30	3
M1	×0.25	P6	P	6	5	30	3
M1	×0.25	P7	P	7	5	30	3
M1	×0.25	P8	P	8	5	30	3
M1	×0.2	1C0	1C	0	5	30	3
M1	×0.2	1C1	1C	1	5	30	3
M1	×0.2	1C2	1C	2	5	30	3
M1	×0.2	1C3	1C	3	5	30	3
M1	×0.2	1C4	1C	4	5	30	3
M1	×0.2	1C5	1C	5	5	30	3
M1	×0.2	1C6	1C	6	5	30	3
M1	×0.2	1C7	1C	7	5	30	3
M1	×0.2	1C8	1C	8	5	30	3
M1	×0.2	B0	B	0	5	30	3
M1	×0.2	B1	B	1	5	30	3
M1	×0.2	B2	B	2	5	30	3
M1	×0.2	B3	B	3	5	30	3
M1	×0.2	B4	B	4	5	30	3
M1	×0.2	B5	B	5	5	30	3
M1	×0.2	B6	B	6	5	30	3
M1	×0.2	B7	B	7	5	30	3
M1	×0.2	B8	B	8	5	30	3
M1	×0.2	3C0	3C	0	5	30	3
M1	×0.2	3C1	3C	1	5	30	3
M1	×0.2	3C2	3C	2	5	30	3
M1	×0.2	3C3	3C	3	5	30	3
M1	×0.2	3C4	3C	4	5	30	3
M1	×0.2	3C5	3C	5	5	30	3

食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

タフレットの精度番号の有効径位置



呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M1	×0.2	3C6	3C	6	5	30	3
M1	×0.2	3C7	3C	7	5	30	3
M1	×0.2	3C8	3C	8	5	30	3
M1	×0.2	P0	P	0	5	30	3
M1	×0.2	P1	P	1	5	30	3
M1	×0.2	P2	P	2	5	30	3
M1	×0.2	P3	P	3	5	30	3
M1	×0.2	P4	P	4	5	30	3
M1	×0.2	P5	P	5	5	30	3
M1	×0.2	P6	P	6	5	30	3
M1	×0.2	P7	P	7	5	30	3
M1	×0.2	P8	P	8	5	30	3
M1.1	×0.25	1C0	1C	0	5	32	3
M1.1	×0.25	1C1	1C	1	5	32	3
M1.1	×0.25	1C2	1C	2	5	32	3
M1.1	×0.25	1C3	1C	3	5	32	3
M1.1	×0.25	1C4	1C	4	5	32	3
M1.1	×0.25	1C5	1C	5	5	32	3
M1.1	×0.25	1C6	1C	6	5	32	3
M1.1	×0.25	1C7	1C	7	5	32	3
M1.1	×0.25	1C8	1C	8	5	32	3
M1.1	×0.25	B0	B	0	5	32	3
M1.1	×0.25	B1	B	1	5	32	3
M1.1	×0.25	B2	B	2	5	32	3
M1.1	×0.25	B3	B	3	5	32	3
M1.1	×0.25	B4	B	4	5	32	3
M1.1	×0.25	B5	B	5	5	32	3
M1.1	×0.25	B6	B	6	5	32	3
M1.1	×0.25	B7	B	7	5	32	3
M1.1	×0.25	B8	B	8	5	32	3
M1.1	×0.25	3C0	3C	0	5	32	3
M1.1	×0.25	3C1	3C	1	5	32	3
M1.1	×0.25	3C2	3C	2	5	32	3
M1.1	×0.25	3C3	3C	3	5	32	3
M1.1	×0.25	3C4	3C	4	5	32	3
M1.1	×0.25	3C5	3C	5	5	32	3
M1.1	×0.25	3C6	3C	6	5	32	3
M1.1	×0.25	3C7	3C	7	5	32	3
M1.1	×0.25	3C8	3C	8	5	32	3
M1.1	×0.25	P0	P	0	5	32	3
M1.1	×0.25	P1	P	1	5	32	3
M1.1	×0.25	P2	P	2	5	32	3
M1.1	×0.25	P3	P	3	5	32	3
M1.1	×0.25	P4	P	4	5	32	3
M1.1	×0.25	P5	P	5	5	32	3
M1.1	×0.25	P6	P	6	5	32	3
M1.1	×0.25	P7	P	7	5	32	3
M1.1	×0.25	P8	P	8	5	32	3
M1.1	×0.2	1C0	1C	0	5	32	3
M1.1	×0.2	1C1	1C	1	5	32	3
M1.1	×0.2	1C2	1C	2	5	32	3
M1.1	×0.2	1C3	1C	3	5	32	3
M1.1	×0.2	1C4	1C	4	5	32	3
M1.1	×0.2	1C5	1C	5	5	32	3
M1.1	×0.2	1C6	1C	6	5	32	3
M1.1	×0.2	1C7	1C	7	5	32	3
M1.1	×0.2	1C8	1C	8	5	32	3
M1.1	×0.2	B0	B	0	5	32	3
M1.1	×0.2	B1	B	1	5	32	3
M1.1	×0.2	B2	B	2	5	32	3

FORMING TAPS (TAFLET)
盛上げタフレット(タフレット)

STOCKED BY SPECIFIC DISTRIBUTOR
専門店在庫表

IT TAFLET-C
1-タフレット-C


IT-TF-C



食付部山数

Table with 2 columns: 記号 (Code) and 山数 (Number of Flutes). Codes include 1C, B, 3C, P and corresponding flute counts 1, 2, 3, 4.

タフレットの精度番号の有効径位置



Main table for IT-TF-C listing specifications for various tap sizes (M1.1 to M1.2) and materials (B, 3C, P).

Main table for IT-TF-C listing specifications for various tap sizes (M1.2 to M1.4) and materials (1C, B, 3C, P).

Main table for IT-TF-C listing specifications for various tap sizes (M1.4 to M1.6) and materials (3C, B, P).

Main table for IT-TF-C listing specifications for various tap sizes (M1.6 to M1.7) and materials (3C, B, P).

盛土タフレット (タフレット)
FORMING TAPS (TAFLET)

専門店在庫表
STOCKED BY SPECIFIC DISTRIBUTOR

IT TAFLET-C
タータンレット-C

盛土タフレット (タフレット)
FORMING TAPS (TAFLET)

専門店在庫表
STOCKED BY SPECIFIC DISTRIBUTOR

IT TAFLET-C
タータンレット-C


IT-TF-C



食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

タフレットの精度番号の有効径位置



呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M1.7×0.35	B4	B	4	8	36	3	
M1.7×0.35	B5	B	5	8	36	3	
M1.7×0.35	B6	B	6	8	36	3	
M1.7×0.35	B7	B	7	8	36	3	
M1.7×0.35	B8	B	8	8	36	3	
M1.7×0.35	B9	B	9	8	36	3	
M1.7×0.35	3C1	3C	1	8	36	3	
M1.7×0.35	3C2	3C	2	8	36	3	
M1.7×0.35	3C3	3C	3	8	36	3	
M1.7×0.35	3C4	3C	4	8	36	3	
M1.7×0.35	3C5	3C	5	8	36	3	
M1.7×0.35	3C6	3C	6	8	36	3	
M1.7×0.35	3C7	3C	7	8	36	3	
M1.7×0.35	3C8	3C	8	8	36	3	
M1.7×0.35	3C9	3C	9	8	36	3	
M1.7×0.35	P1	P	1	8	36	3	
M1.7×0.35	P2	P	2	8	36	3	
M1.7×0.35	P3	P	3	8	36	3	
M1.7×0.35	P4	P	4	8	36	3	
M1.7×0.35	P5	P	5	8	36	3	
M1.7×0.35	P6	P	6	8	36	3	
M1.7×0.35	P7	P	7	8	36	3	
M1.7×0.35	P8	P	8	8	36	3	
M1.7×0.35	P9	P	9	8	36	3	
M1.7×0.2	1C0	1C	0	8	36	3	
M1.7×0.2	1C1	1C	1	8	36	3	
M1.7×0.2	1C2	1C	2	8	36	3	
M1.7×0.2	1C3	1C	3	8	36	3	
M1.7×0.2	1C4	1C	4	8	36	3	
M1.7×0.2	1C5	1C	5	8	36	3	
M1.7×0.2	1C6	1C	6	8	36	3	
M1.7×0.2	1C7	1C	7	8	36	3	
M1.7×0.2	1C8	1C	8	8	36	3	
M1.7×0.2	B0	B	0	8	36	3	
M1.7×0.2	B1	B	1	8	36	3	
M1.7×0.2	B2	B	2	8	36	3	
M1.7×0.2	B3	B	3	8	36	3	
M1.7×0.2	B4	B	4	8	36	3	
M1.7×0.2	B5	B	5	8	36	3	
M1.7×0.2	B6	B	6	8	36	3	
M1.7×0.2	B7	B	7	8	36	3	
M1.7×0.2	B8	B	8	8	36	3	
M1.7×0.2	3C0	3C	0	8	36	3	
M1.7×0.2	3C1	3C	1	8	36	3	
M1.7×0.2	3C2	3C	2	8	36	3	
M1.7×0.2	3C3	3C	3	8	36	3	
M1.7×0.2	3C4	3C	4	8	36	3	
M1.7×0.2	3C5	3C	5	8	36	3	
M1.7×0.2	3C6	3C	6	8	36	3	
M1.7×0.2	3C7	3C	7	8	36	3	
M1.7×0.2	3C8	3C	8	8	36	3	
M1.7×0.2	P0	P	0	8	36	3	
M1.7×0.2	P1	P	1	8	36	3	
M1.7×0.2	P2	P	2	8	36	3	
M1.7×0.2	P3	P	3	8	36	3	
M1.7×0.2	P4	P	4	8	36	3	
M1.7×0.2	P5	P	5	8	36	3	
M1.7×0.2	P6	P	6	8	36	3	
M1.7×0.2	P7	P	7	8	36	3	
M1.7×0.2	P8	P	8	8	36	3	

呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M1.8×0.35	1C1	1C	1	8	36	3	
M1.8×0.35	1C2	1C	2	8	36	3	
M1.8×0.35	1C3	1C	3	8	36	3	
M1.8×0.35	1C4	1C	4	8	36	3	
M1.8×0.35	1C5	1C	5	8	36	3	
M1.8×0.35	1C6	1C	6	8	36	3	
M1.8×0.35	1C7	1C	7	8	36	3	
M1.8×0.35	1C8	1C	8	8	36	3	
M1.8×0.35	1C9	1C	9	8	36	3	
M1.8×0.35	B1	B	1	8	36	3	
M1.8×0.35	B2	B	2	8	36	3	
M1.8×0.35	B3	B	3	8	36	3	
M1.8×0.35	B4	B	4	8	36	3	
M1.8×0.35	B5	B	5	8	36	3	
M1.8×0.35	B6	B	6	8	36	3	
M1.8×0.35	B7	B	7	8	36	3	
M1.8×0.35	B8	B	8	8	36	3	
M1.8×0.35	B9	B	9	8	36	3	
M1.8×0.35	3C1	3C	1	8	36	3	
M1.8×0.35	3C2	3C	2	8	36	3	
M1.8×0.35	3C3	3C	3	8	36	3	
M1.8×0.35	3C4	3C	4	8	36	3	
M1.8×0.35	3C5	3C	5	8	36	3	
M1.8×0.35	3C6	3C	6	8	36	3	
M1.8×0.35	3C7	3C	7	8	36	3	
M1.8×0.35	3C8	3C	8	8	36	3	
M1.8×0.35	3C9	3C	9	8	36	3	
M1.8×0.35	P1	P	1	8	36	3	
M1.8×0.35	P2	P	2	8	36	3	
M1.8×0.35	P3	P	3	8	36	3	
M1.8×0.35	P4	P	4	8	36	3	
M1.8×0.35	P5	P	5	8	36	3	
M1.8×0.35	P6	P	6	8	36	3	
M1.8×0.35	P7	P	7	8	36	3	
M1.8×0.35	P8	P	8	8	36	3	
M1.8×0.35	P9	P	9	8	36	3	
M1.8×0.2	1C0	1C	0	8	36	3	
M1.8×0.2	1C1	1C	1	8	36	3	
M1.8×0.2	1C2	1C	2	8	36	3	
M1.8×0.2	1C3	1C	3	8	36	3	
M1.8×0.2	1C4	1C	4	8	36	3	
M1.8×0.2	1C5	1C	5	8	36	3	
M1.8×0.2	1C6	1C	6	8	36	3	
M1.8×0.2	1C7	1C	7	8	36	3	
M1.8×0.2	1C8	1C	8	8	36	3	
M1.8×0.2	B0	B	0	8	36	3	
M1.8×0.2	B1	B	1	8	36	3	
M1.8×0.2	B2	B	2	8	36	3	
M1.8×0.2	B3	B	3	8	36	3	
M1.8×0.2	B4	B	4	8	36	3	
M1.8×0.2	B5	B	5	8	36	3	
M1.8×0.2	B6	B	6	8	36	3	
M1.8×0.2	B7	B	7	8	36	3	
M1.8×0.2	B8	B	8	8	36	3	
M1.8×0.2	3C0	3C	0	8	36	3	
M1.8×0.2	3C1	3C	1	8	36	3	
M1.8×0.2	3C2	3C	2	8	36	3	
M1.8×0.2	3C3	3C	3	8	36	3	
M1.8×0.2	3C4	3C	4	8	36	3	
M1.8×0.2	3C5	3C	5	8	36	3	

呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M1.8×0.2	3C6	3C	6	8	36	3	
M1.8×0.2	3C7	3C	7	8	36	3	
M1.8×0.2	3C8	3C	8	8	36	3	
M1.8×0.2	P0	P	0	8	36	3	
M1.8×0.2	P1	P	1	8	36	3	
M1.8×0.2	P2	P	2	8	36	3	
M1.8×0.2	P3	P	3	8	36	3	
M1.8×0.2	P4	P	4	8	36	3	
M1.8×0.2	P5	P	5	8	36	3	
M1.8×0.2	P6	P	6	8	36	3	
M1.8×0.2	P7	P	7	8	36	3	
M1.8×0.2	P8	P	8	8	36	3	
M2 ×0.4	1C1	1C	1	9	40	3	
M2 ×0.4	1C2	1C	2	9	40	3	
M2 ×0.4	1C3	1C	3	9	40	3	
M2 ×0.4	1C4	1C	4	9	40	3	
M2 ×0.4	1C5	1C	5	9	40	3	
M2 ×0.4	1C6	1C	6	9	40	3	
M2 ×0.4	1C7	1C	7	9	40	3	
M2 ×0.4	1C8	1C	8	9	40	3	
M2 ×0.4	1C9	1C	9	9	40	3	
M2 ×0.4	B1	B	1	9	40	3	
M2 ×0.4	B2	B	2	9	40	3	
M2 ×0.4	B3	B	3	9	40	3	
M2 ×0.4	B4	B	4	9	40	3	
M2 ×0.4	B5	B	5	9	40	3	
M2 ×0.4	B6	B	6	9	40	3	
M2 ×0.4	B7	B	7	9	40	3	
M2 ×0.4	B8	B	8	9	40	3	
M2 ×0.4	B9	B	9	9	40	3	
M2 ×0.4	3C1	3C	1	9	40	3	
M2 ×0.4	3C2	3C	2	9	40	3	
M2 ×0.4	3C3	3C	3	9	40	3	
M2 ×0.4	3C4	3C	4	9	40	3	
M2 ×0.4	3C5	3C	5	9	40	3	
M2 ×0.4	3C6	3C	6	9	40	3	
M2 ×0.4	3C7	3C	7	9	40	3	
M2 ×0.4	3C8	3C	8	9	40	3	
M2 ×0.4	3C9	3C	9	9	40	3	
M2 ×0.4	P1	P	1	9	40	3	
M2 ×0.4	P2	P	2	9	40	3	
M2 ×0.4	P3	P	3	9	40	3	
M2 ×0.4	P4	P	4	9	40	3	
M2 ×0.4	P5	P	5	9	40	3	
M2 ×0.4	P6	P	6	9	40	3	
M2 ×0.4	P7	P	7	9	40	3	
M2 ×0.4	P8	P	8	9	40	3	
M2 ×0.4	P9	P	9	9	40	3	
M2 ×0.25	1C1	1C	1	9	40	3	
M2 ×0.25	1C2	1C	2	9	40	3	
M2 ×0.25	1C3	1C	3	9	40	3	
M2 ×0.25	1C4	1C	4	9	40	3	
M2 ×0.25	1C5	1C	5	9	40	3	
M2 ×0.25	1C6	1C	6	9	40	3	
M2 ×0.25	1C7	1C	7	9	40	3	
M2 ×0.25	1C8	1C	8	9	40	3	
M2 ×0.25	1C9	1C	9	9	40	3	
M2 ×0.25	B1	B	1	9	40	3	
M2 ×0.25	B2	B	2	9	40	3	
M2 ×0.25	B3	B	3	9	40	3	
M2 ×0.25	B4	B	4	9	40	3	
M2 ×0.25	B5	B	5	9	40	3	
M2 ×0.25	B6	B	6	9	40	3	
M2 ×0.25	B7	B	7	9	40	3	
M2 ×0.25	B8	B	8	9	40	3	
M2 ×0.25	B9	B	9	9	40	3	

呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M2 ×0.25	3C1	3C	1	9	40	3	
M2 ×0.25	3C2	3C	2	9	40	3	
M2 ×0.25	3C3	3C	3	9	40	3	
M2 ×0.25	3C4	3C	4	9	40	3	
M2 ×0.25	3C5	3C	5	9	40	3	
M2 ×0.25	3C6	3C	6	9	40	3	
M2 ×0.25	3C7	3C	7	9	40	3	
M2 ×0.25	3C8	3C	8	9	40	3	
M2 ×0.25	3C9	3C	9	9	40	3	
M2 ×0.25	P2	P	2	9	40	3	
M2 ×0.25	P3	P	3	9	40	3	
M2 ×0.25	P4	P	4	9	40	3	
M2 ×0.25	P5	P	5	9	40	3	
M2 ×0.25	P6	P	6	9	40	3	
M2 ×0.25	P7	P	7	9	40	3	
M2 ×0.25	P8	P	8	9	40	3	
M2 ×0.25	P9	P	9	9	40	3	
M2.2×0.45	1C1	1C	1	9	42	3	
M2.2×0.45	1C2	1C	2	9	42	3	
M2.2×0.45	1C3	1C	3	9	42		


IT-TF-C



食付部山数

Table with 2 columns: 記号, 山数. Rows: 1C, 1山; B, 2山; 3C, 3山; P, 4山.

タレットの精度番号の有効径位置



Large table listing various tap specifications including pitch, feed, accuracy, length, and diameter for different material combinations and conditions.

Large table listing various tap specifications, continuing from the previous table with more material combinations and conditions.

Large table listing various tap specifications, including detailed material and surface treatment combinations.

Large table listing various tap specifications, including detailed material and surface treatment combinations.

盛土タレット(タレット) FORMING TAPS (TAFLET) 専門店在庫表 STOCKED BY SPECIFIC DISTRIBUTOR

IT-TAFLET-C ー タレット-C

盛土タレット(タレット) FORMING TAPS (TAFLET) 専門店在庫表 STOCKED BY SPECIFIC DISTRIBUTOR

IT-TAFLET-C ー タレット-C


IT-TF-C



食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

タレットの精度番号の有効径位置



呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M3	×0.5	B5	B	5	10	46	3
M3	×0.5	B6	B	6	10	46	3
M3	×0.5	B7	B	7	10	46	3
M3	×0.5	B8	B	8	10	46	3
M3	×0.5	B9	B	9	10	46	3
M3	×0.5	B10	B	10	10	46	3
M3	×0.5	3C2	3C	2	10	46	3
M3	×0.5	3C3	3C	3	10	46	3
M3	×0.5	3C4	3C	4	10	46	3
M3	×0.5	3C5	3C	5	10	46	3
M3	×0.5	3C6	3C	6	10	46	3
M3	×0.5	3C7	3C	7	10	46	3
M3	×0.5	3C8	3C	8	10	46	3
M3	×0.5	3C9	3C	9	10	46	3
M3	×0.5	3C10	3C	10	10	46	3
M3	×0.5	P2	P	2	10	46	3
M3	×0.5	P3	P	3	10	46	3
M3	×0.5	P4	P	4	10	46	3
M3	×0.5	P5	P	5	10	46	3
M3	×0.5	P6	P	6	10	46	3
M3	×0.5	P7	P	7	10	46	3
M3	×0.5	P8	P	8	10	46	3
M3	×0.5	P9	P	9	10	46	3
M3	×0.5	P10	P	10	10	46	3
M3	×0.35	1C2	1C	2	10	46	3
M3	×0.35	1C3	1C	3	10	46	3
M3	×0.35	1C4	1C	4	10	46	3
M3	×0.35	1C5	1C	5	10	46	3
M3	×0.35	1C6	1C	6	10	46	3
M3	×0.35	1C7	1C	7	10	46	3
M3	×0.35	1C8	1C	8	10	46	3
M3	×0.35	1C9	1C	9	10	46	3
M3	×0.35	1C10	1C	10	10	46	3
M3	×0.35	B2	B	2	10	46	3
M3	×0.35	B3	B	3	10	46	3
M3	×0.35	B4	B	4	10	46	3
M3	×0.35	B5	B	5	10	46	3
M3	×0.35	B6	B	6	10	46	3
M3	×0.35	B7	B	7	10	46	3

呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M3	×0.35	B8	B	8	10	46	3
M3	×0.35	B9	B	9	10	46	3
M3	×0.35	B10	B	10	10	46	3
M3	×0.35	3C2	3C	2	10	46	3
M3	×0.35	3C3	3C	3	10	46	3
M3	×0.35	3C4	3C	4	10	46	3
M3	×0.35	3C5	3C	5	10	46	3
M3	×0.35	3C6	3C	6	10	46	3
M3	×0.35	3C7	3C	7	10	46	3
M3	×0.35	3C8	3C	8	10	46	3
M3	×0.35	3C9	3C	9	10	46	3
M3	×0.35	3C10	3C	10	10	46	3
M3	×0.35	P2	P	2	10	46	3
M3	×0.35	P3	P	3	10	46	3
M3	×0.35	P4	P	4	10	46	3
M3	×0.35	P5	P	5	10	46	3
M3	×0.35	P6	P	6	10	46	3
M3	×0.35	P7	P	7	10	46	3
M3	×0.35	P8	P	8	10	46	3
M3	×0.35	P9	P	9	10	46	3
M3	×0.35	P10	P	10	10	46	3
M3	×0.5	1C5	1C	5	10	46	4
M3	×0.5	1C6	1C	6	10	46	4
M3	×0.5	1C7	1C	7	10	46	4
M3	×0.5	B5	B	5	10	46	4
M3	×0.5	B6	B	6	10	46	4
M3	×0.5	B7	B	7	10	46	4
M3	×0.5	P5	P	5	10	46	4
M3	×0.5	P6	P	6	10	46	4
M3	×0.5	P7	P	7	10	46	4
M3	×0.35	1C5	1C	5	10	46	4
M3	×0.35	1C6	1C	6	10	46	4
M3	×0.35	1C7	1C	7	10	46	4
M3	×0.35	B5	B	5	10	46	4
M3	×0.35	B6	B	6	10	46	4
M3	×0.35	B7	B	7	10	46	4
M3	×0.35	P5	P	5	10	46	4
M3	×0.35	P6	P	6	10	46	4
M3	×0.35	P7	P	7	10	46	4

呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M3	×0.35	P8	P	8	10	46	3
M3	×0.35	P9	P	9	10	46	3
M3	×0.35	P10	P	10	10	46	3
M3	×0.5	1C4	1C	4	10	46	4
M3	×0.5	1C5	1C	5	10	46	4
M3	×0.5	1C6	1C	6	10	46	4
M3	×0.5	1C7	1C	7	10	46	4
M3	×0.5	1C8	1C	8	10	46	4
M3	×0.5	1C9	1C	9	10	46	4
M3	×0.5	B4	B	4	10	46	4
M3	×0.5	B5	B	5	10	46	4
M3	×0.5	B6	B	6	10	46	4
M3	×0.5	B7	B	7	10	46	4
M3	×0.5	B8	B	8	10	46	4
M3	×0.5	B9	B	9	10	46	4
M3	×0.5	3C4	3C	4	10	46	4
M3	×0.5	3C5	3C	5	10	46	4
M3	×0.5	3C6	3C	6	10	46	4
M3	×0.5	3C7	3C	7	10	46	4
M3	×0.5	3C8	3C	8	10	46	4
M3	×0.5	3C9	3C	9	10	46	4
M3	×0.5	P4	P	4	10	46	4
M3	×0.5	P5	P	5	10	46	4
M3	×0.5	P6	P	6	10	46	4
M3	×0.5	P7	P	7	10	46	4
M3	×0.5	P8	P	8	10	46	4
M3	×0.5	P9	P	9	10	46	4
M3	×0.35	1C4	1C	4	10	46	4
M3	×0.35	1C5	1C	5	10	46	4
M3	×0.35	1C6	1C	6	10	46	4
M3	×0.35	1C7	1C	7	10	46	4
M3	×0.35	1C8	1C	8	10	46	4
M3	×0.35	1C9	1C	9	10	46	4
M3	×0.35	B4	B	4	10	46	4
M3	×0.35	B5	B	5	10	46	4
M3	×0.35	B6	B	6	10	46	4
M3	×0.35	B7	B	7	10	46	4
M3	×0.35	B8	B	8	10	46	4
M3	×0.35	B9	B	9	10	46	4

呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M3	×0.35	3C4	3C	4	10	46	4
M3	×0.35	3C5	3C	5	10	46	4
M3	×0.35	3C6	3C	6	10	46	4
M3	×0.35	3C7	3C	7	10	46	4
M3	×0.35	3C8	3C	8	10	46	4
M3	×0.35	3C9	3C	9	10	46	4
M3	×0.35	P4	P	4	10	46	4
M3	×0.35	P5	P	5	10	46	4
M3	×0.35	P6	P	6	10	46	4
M3	×0.35	P7	P	7	10	46	4
M3	×0.35	P8	P	8	10	46	4
M3	×0.35	P9	P	9	10	46	4
M3.5×0.6	1C5	1C	5	10	48	4	
M3.5×0.6	1C6	1C	6	10	48	4	
M3.5×0.6	1C7	1C	7	10	48	4	
M3.5×0.6	B5	B	5	10	48	4	
M3.5×0.6	B6	B	6	10	48	4	
M3.5×0.6	B7	B	7	10	48	4	
M3.5×0.6	P5	P	5	10	48	4	
M3.5×0.6	P6	P	6	10	48	4	
M3.5×0.6	P7	P	7	10	48	4	
M4	×0.7	1C6	1C	6	10	52	5
M4	×0.7	1C7	1C	7	10	52	5
M4	×0.7	1C8	1C	8	10	52	5
M4	×0.7	B6	B	6	10	52	5
M4	×0.7	B7	B	7	10	52	5
M4	×0.7	B8	B	8	10	52	5
M4	×0.7	P6	P	6	10	52	5
M4	×0.7	P7	P	7	10	52	5
M4	×0.7	P8	P	8	10	52	5
M5	×0.8	1C6	1C	6	10	60	5.5
M5	×0.8	1C7	1C	7	10	60	5.5
M5	×0.8	1C8	1C	8	10	60	5.5
M5	×0.8	B6	B	6	10	60	5.5
M5	×0.8	B7	B	7	10	60	5.5
M5	×0.8	B8	B	8	10	60	5.5
M5	×0.8	P6	P	6	10	60	5.5
M5	×0.8	P7	P	7	10	60	5.5
M5	×0.8	P8	P	8	10	60	5.5

盛上りタレット (タレット)
FORMING TAPS (TAFLET)

専門店在庫表
STOCKED BY SPECIFIC DISTRIBUTOR

IT TAFLET-C
タレット-C

盛上りタレット (タレット)
FORMING TAPS (TAFLET)


専門店在庫表
STOCKED BY SPECIFIC DISTRIBUTOR

IT TAFLET-C
タレット-C

IT-TF-C



タフレットの精度番号の有効径位置



食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M6	×1	1C7	1C	7	10	62	6
M6	×1	1C8	1C	8	10	62	6
M6	×1	1C9	1C	9	10	62	6
M6	×1	B7	B	7	10	62	6
M6	×1	B8	B	8	10	62	6
M6	×1	B9	B	9	10	62	6
M6	×1	P7	P	7	10	62	6
M6	×1	P8	P	8	10	62	6
M6	×1	P9	P	9	10	62	6
M6	×0.75	1C7	1C	7	10	62	6
M6	×0.75	1C8	1C	8	10	62	6
M6	×0.75	1C9	1C	9	10	62	6
M6	×0.75	B7	B	7	10	62	6
M6	×0.75	B8	B	8	10	62	6
M6	×0.75	B9	B	9	10	62	6
M6	×0.75	P7	P	7	10	62	6
M6	×0.75	P8	P	8	10	62	6
M6	×0.75	P9	P	9	10	62	6
M7	×1	1C7	1C	7	16	65	6.2
M7	×1	1C8	1C	8	16	65	6.2
M7	×1	1C9	1C	9	16	65	6.2
M7	×1	B7	B	7	16	65	6.2
M7	×1	B8	B	8	16	65	6.2
M7	×1	B9	B	9	16	65	6.2
M7	×1	P7	P	7	16	65	6.2
M7	×1	P8	P	8	16	65	6.2
M7	×1	P9	P	9	16	65	6.2
M8	×1.25	1C7	1C	7	18	70	6.2
M8	×1.25	1C8	1C	8	18	70	6.2
M8	×1.25	1C9	1C	9	18	70	6.2
M8	×1.25	B7	B	7	18	70	6.2
M8	×1.25	B8	B	8	18	70	6.2
M8	×1.25	B9	B	9	18	70	6.2
M8	×1.25	P7	P	7	18	70	6.2
M8	×1.25	P8	P	8	18	70	6.2
M8	×1.25	P9	P	9	18	70	6.2

呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M8	×1	1C7	1C	7	18	70	6.2
M8	×1	1C8	1C	8	18	70	6.2
M8	×1	1C9	1C	9	18	70	6.2
M8	×1	B7	B	7	18	70	6.2
M8	×1	B8	B	8	18	70	6.2
M8	×1	B9	B	9	18	70	6.2
M8	×1	P7	P	7	18	70	6.2
M8	×1	P8	P	8	18	70	6.2
M8	×1	P9	P	9	18	70	6.2
M10	×1.5	1C7	1C	7	19	75	7
M10	×1.5	1C8	1C	8	19	75	7
M10	×1.5	1C9	1C	9	19	75	7
M10	×1.5	B7	B	7	19	75	7
M10	×1.5	B8	B	8	19	75	7
M10	×1.5	B9	B	9	19	75	7
M10	×1.5	P7	P	7	19	75	7
M10	×1.5	P8	P	8	19	75	7
M10	×1.5	P9	P	9	19	75	7
M10	×1.25	1C7	1C	7	19	75	7
M10	×1.25	1C8	1C	8	19	75	7
M10	×1.25	1C9	1C	9	19	75	7
M10	×1.25	B7	B	7	19	75	7
M10	×1.25	B8	B	8	19	75	7
M10	×1.25	B9	B	9	19	75	7
M10	×1.25	P7	P	7	19	75	7
M10	×1.25	P8	P	8	19	75	7
M10	×1.25	P9	P	9	19	75	7
M10	×1	1C7	1C	7	19	75	7
M10	×1	1C8	1C	8	19	75	7
M10	×1	1C9	1C	9	19	75	7
M10	×1	B7	B	7	19	75	7
M10	×1	B8	B	8	19	75	7
M10	×1	B9	B	9	19	75	7
M10	×1	P7	P	7	19	75	7
M10	×1	P8	P	8	19	75	7
M10	×1	P9	P	9	19	75	7

盛上げタフレット (タフ) (アパ) FORMING TAPS (TAFLET)

IT TAFLET-C 専門在庫表 STOCKED BY SPECIFIC DISTRIBUTOR